


# Toxins found in fracking fluids and wastewater, study shows

January 7 2016, by Michael Greenwood

---



Credit: Pat Lynch / Yale University

In an analysis of more than 1,000 chemicals in fluids used in and created by hydraulic fracturing (fracking), Yale School of Public Health researchers found that many of the substances have been linked to reproductive and developmental health problems, and the majority had undetermined toxicity due to insufficient information.

Further exposure and epidemiological studies are urgently needed to evaluate potential threats to human health from chemicals found in fracking fluids and wastewater created by fracking, said the research team in their paper, published Jan. 6 in the *Journal of Exposure Science and Environmental and Epidemiology*.

The research team evaluated available data on 1,021 chemicals used in fracking, a process that recovers oil and [natural gas](#) from deep within the ground by using a mixture of [hydraulic-fracturing](#) fluids that can contain hundreds of chemicals. The process creates significant amounts of wastewater and fractures the bedrock, posing a potential threat to both surface water and underground aquifers that supply drinking water, note the researchers.

While they lacked definitive information on the toxicity of the majority of the chemicals, the team members analyzed 240 substances and concluded that 157 of them—chemicals such as arsenic, benzene, cadmium, lead, formaldehyde, chlorine, and mercury—were associated with either developmental or reproductive toxicity. Of these, 67 chemicals were of particular concern because they had an existing federal health-based standard or guideline, said the scientists, adding that data on whether levels of chemicals exceeded the guidelines were too limited to assess.

"This evaluation is a first step to prioritize the vast array of potential environmental contaminants from hydraulic fracturing for future exposure and health studies," said Nicole Deziel, senior author and assistant professor of [public health](#). "Quantification of the potential exposure to these chemicals, such as by monitoring drinking water in people's homes, is vital for understanding the public health impact of hydraulic fracturing."

Some previous studies have observed associations between proximity to

hydraulic fracturing sites and reproductive and developmental problems, but they did not investigate specific chemicals. This latest evaluation could inform the design of future studies by highlighting which chemicals could have the highest probability of health impact, note the researchers.

Fracking has increased dramatically in recent years and the practice is expected to grow in the future. It involves drilling into the earth—as deep as two miles—and releasing a high-pressure mixture of water, sand, and chemicals that fracture the rock and release the gas trapped inside. Fracking is now commonly used in the United States and has significantly boosted domestic natural gas production and driven down prices.

However, the practice may come with a significant public health consequences, warn critics of fracking, noting that the process has the potential to contaminate [drinking water](#) supplies with toxic chemicals. Air pollution, greenhouse gas emissions, and small earth tremors from the drilling and waste disposal processes are also cited as concerns.

"We focused on reproductive and developmental toxicity because these effects may be early indicators of environmental hazards. Gaps in our knowledge highlight the need to improve our understanding of the potential adverse effects associated with these compounds," said Elise Elliott, a public health doctoral student and the paper's first author.

The researchers determined that wastewater produced by fracking may be even more toxic than the fracking fluids themselves. This led the researchers to conclude that more focus is needed to study not just what goes into the well, but what chemicals and by-products are generated during the fracking process.

**More information:** Elise G Elliott et al. A systematic evaluation of

chemicals in hydraulic-fracturing fluids and wastewater for reproductive and developmental toxicity, *Journal of Exposure Science and Environmental Epidemiology* (2016). [DOI: 10.1038/jes.2015.81](https://doi.org/10.1038/jes.2015.81)

Provided by Yale University

Citation: Toxins found in fracking fluids and wastewater, study shows (2016, January 7)  
retrieved 27 April 2024 from  
<https://phys.org/news/2016-01-toxins-fracking-fluids-wastewater.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.