

## Slime mold gives insight into the intelligence of neuron-less organisms

June 8 2016



Physarum polycephalum. Credit: frankenstoen/Wikipedia

How do organisms without brains make decisions? Most of life is



brainless and the vast majority of organisms on Earth lack neurons altogether. Plants, fungi and bacteria must all cope with the same problem as humans - to make the best choices in a complex and everchanging world or risk dying - without the help of a simple nervous system in many cases.

A team of researchers from New Jersey Institute of Technology (NJIT), the University of Sydney, the University of Sheffield and the University of Leeds recently studied this problem in the unicellular slime mold, Physarum polycephalum, a single-cell organism that can grow to several square meters in size. This giant cell, which typically lives in shady, cool and moist areas of temperate forests, spreads out to search its environment like an amoeba, extending oozy tendrils along the forest floor in search of its prey of fungi, bacteria and decaying vegetable matter.

Neither plant, animal nor fungus, P. polycephalum has become an unlikely candidate for studies of cognition, due to its spectacular problem-solving abilities. In recent studies, Physarum has been shown to solve labyrinth mazes, make complicated trade-offs, anticipate periodic events, remember where it has been, construct transport networks that have similar efficiency to those designed by human engineers and even make irrational decisions - a capability that has long been viewed as a byproduct of brain circuitry.

In this study, the researchers examined the <u>decision-making</u> ability of slime mold using a test classically used in humans, birds and other brained organisms: the two-armed bandit problem, named for the infamous slot machine, or one-armed bandit. In a two-armed bandit problem, the subject has two levers to pull, each of which delivers a certain, randomly determined reward. One of the levers is more likely to deliver a higher reward overall, so the challenge for participants is to decide at what point to stop exploring both options and decide to



exclusively exploit just the one option in order to maximize their payoff. The phenomenon is called the exploration-exploitation tradeoff and is relevant to more than just slot machines, applying to many situations, including investors picking start-up companies to back or drivers choosing a parking space. As such, it has become a classical tool for testing the decision-making abilities of humans and other animals, but it has never before been used on an organism without a brain.

The researchers adapted the two-armed bandit test for slime mold by giving the organism the choice to explore two opposite directions. In each direction, the slime mold encountered discrete patches of food, more or less regularly distributed. One direction would contain more of these patches than the other. They then observed how far in each direction the slime mold would explore before switching to the exploitation of one of the two directions only. The results of these experiments demonstrate that slime mold compares the relative qualities of multiple options, most often choosing the direction with the higher overall concentration of food. It was able to sum up the number of food patches encountered in each direction, as well as the quantity of food present at each patch to make correct and adaptive decisions as to the direction it should move next.

The <u>slime mold</u>'s decision-making algorithm can be mathematically described as a tendency to exploit environments in proportion to their reward experienced through past sampling. The algorithm is intermediate in computational complexity between simple, reactionary heuristics and calculation-intensive optimal performance algorithms, yet it has very good relative performance.

"Working with Physarum constantly challenges our preconceived notions of the minimum biological hardware that is required for sophisticated behavior," says Simon Garnier, an assistant professor of biology at NJIT and the principal investigator of the study.



While the biological substrate of the algorithm remains to be identified, this study provides insight into ancestral mechanisms of decision making and suggests that fundamental principles of decision making, information processing and even cognition are shared among diverse biological systems.

**More information:** Chris R. Reid et al, Decision-making without a brain: how an amoeboid organism solves the two-armed bandit, *Journal of The Royal Society Interface* (2016). DOI: 10.1098/rsif.2016.0030

## Provided by New Jersey Institute of Technology

Citation: Slime mold gives insight into the intelligence of neuron-less organisms (2016, June 8) retrieved 2 May 2024 from <u>https://phys.org/news/2016-06-slime-mold-insight-intelligence-neuron-less.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.