


# Physicists demonstrate existence of new subatomic structure

November 3 2016

---



James Vary, right, and coauthor Andrey Shirokov with an illustration of a tetra-neutron. Credit: Christopher Gannon/Iowa State University

Iowa State University researchers have helped demonstrate the existence of a subatomic structure once thought unlikely to exist.

James Vary, a professor of physics and astronomy, and Andrey Shirokov, a visiting scientist, together with an international team, used sophisticated supercomputer simulations to show the quasi-stable existence of a tetraneutron, a structure comprised of four [neutrons](#) (subatomic particles with no charge).

The new finding was published in *Physical Review Letters*, a publication of the American Physical Society, on October 28.

On their own, neutrons are very unstable and will convert into protons—positively charged subatomic particles—after ten minutes. Groups of two or three neutrons do not form a stable structure, but the new simulations in this research demonstrate that four neutrons together can form a resonance, a structure stable for a period of time before decaying.

For the tetraneutron, this lifetime is only  $5 \times 10^{-22}$  seconds (a tiny fraction of a billionth of a nanosecond). Though this time seems very short, it is long enough to study, and provides a new avenue for exploring the strong forces between neutrons.

"This opens up a whole new line of research," Vary said. "Studying the tetraneutron will help us understand interneutron forces including previously unexplored features of the unstable two-neutron and three-neutron systems."

The advanced simulations demonstrating the tetraneutron corroborate the first observational evidence of the tetraneutron earlier this year in an experiment performed at the RIKEN Radioactive Ion Beam Factory (RIBF), in Saitama, Japan. The tetraneutron structure has been sought for 40 years with little evidence supporting its existence, until now. The properties predicted by the calculations in the simulations were consistent with the observed properties from the experiment in Japan.

The research in Japan used a beam of Helium-8, Helium with 4 extra neutrons, colliding with a regular Helium-4 atom. The collision breaks up the Helium-8 into another Helium-4 and a tetraneutron in its brief resonance state, before it, too, breaks apart, forming four lone neutrons.

"We know that additional experiments with state-of-the-art facilities are in preparation with the goal to get precise characteristics of the tetraneutron," Vary said. "We are providing our state-of-the-art predictions to help guide these experiments."

The existence of the tetraneutron, once confirmed and refined, will add an interesting new entry and gap to the chart of nuclides, a graph representing all known nuclei and their isotopes, or nuclei with a different number of neutrons. Similar to the periodic table, which organizes the chemical behavior of elements, the nuclide chart represents the radioactive behavior of elements and their isotopes. While most nuclei add or subtract neutrons one at a time, this research shows that a neutron itself will have a gap between a single neutron and a tetraneutron.

The only other known neutron structure is a neutron star, small but dense stars thought to be made almost entirely of neutrons. These stars may be only about seven miles in radius but have a mass similar to that of our sun. Neutron stars have neutrons on the order  $10^{57}$ . Further research may explore if there are other numbers of neutrons that form a stable resonance along the path to reaching the size of a neutron star.

**More information:** A. M. Shirokov et al, Prediction for a Four-Neutron Resonance, *Physical Review Letters* (2016). [DOI: 10.1103/PhysRevLett.117.182502](https://doi.org/10.1103/PhysRevLett.117.182502)

Provided by Iowa State University

Citation: Physicists demonstrate existence of new subatomic structure (2016, November 3)  
retrieved 17 April 2024 from <https://phys.org/news/2016-11-physicists-subatomic.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.