


How much warmer has Hong Kong's urban area become during the past four decades?

November 17 2016



Hong Kong's urban mean air temperature from 1970 to 2015. Credit: Wai-Ming TO

Scientists from Macao Polytechnic Institute are pioneers in exploring

urban temperature in Hong Kong using seasonal econometric models. In particular, the characterization of the urban temperature trend was investigated using a seasonal unit root analysis of monthly mean air temperature data over the period of January 1970 to December 2013.

"The seasonal unit root test makes it possible to determine the stochastic trend of monthly temperatures using an autoregressive model," says Prof. Wai Ming To. "We found that Hong Kong's urban mean [air temperature](#) has increased by 0.169°C per 10 years over the past four decades using monthly temperature data, or 0.174°C per 10 years using annual temperature data, and the trend is likely to persist."

The increase in Hong Kong's urban mean air temperature was higher than the increase in global mean air temperature [0.13°C (10 yr)⁻¹ using data from 1956 to 2005, or 0.07°C (10 yr)⁻¹ between 1906 and 2005 due to global warming]. The model of monthly temperature obtained from the seasonal unit root analysis was able to explain 95.9 percent of the variance in the measured monthly data—much higher than the variance explained by the ordinary least-squares model using annual mean air [temperature data](#) and other studies alike. The [model](#) accurately predicted monthly mean air temperatures between January 2014 and December 2015, with a root-mean-square percentage error of 4.2 percent.

By analyzing the monthly air temperatures recorded at an urban site and a rural site, it was found that the urban heat island effect led to the urban site being on average 0.865°C warmer than the rural [site](#) over the past two decades. Besides, it was shown that the increase in annual mean air temperature was significantly associated with the increase in population, gross domestic product, urban land use, and energy use.

More information: Wai-Ming To et al, Characterizing the urban temperature trend using seasonal unit root analysis: Hong Kong from 1970 to 2015, *Advances in Atmospheric Sciences* (2016). [DOI](#):

[10.1007/s00376-016-6113-z](https://doi.org/10.1007/s00376-016-6113-z)

Provided by Chinese Academy of Sciences

Citation: How much warmer has Hong Kong's urban area become during the past four decades? (2016, November 17) retrieved 26 April 2024 from <https://phys.org/news/2016-11-warmer-hong-kong-urban-area.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.