

# Andalusian scientists reconstruct what the Gibraltar Arc was like 9 million years ago

January 30 2017

---



Satellite image of the Gibraltar Arc (NASA). Credit: NASA

A team of Andalusian scientists led by the University of Granada (UGR) has been able to reconstruct for the first time what the Gibraltar Arc was like 9 million years ago. It's one of the narrowest landforms on Earth.

The researchers have been able to prove that, since then, large blocks of land with sizes of about 300 kilometers long and 150 kilometers wide have rotated clockwise (in the case of the Baetic System mountain range) and counterclockwise (in the case of the Rif mountain range, in the north of Morocco).

These movements have completely reshaped the Gibraltar Arc, since they occurred at a very high speed: Six degrees per 1 million years (in total, 53 degrees for the block of the Western Baetic System). This is compatible with both the opening of the Strait of Gibraltar about 5 million years ago.

As Ana Crespo-Blanc, professor from the Department of Geodynamics at the UGR and lead researcher of the project, explains, the Gibraltar Arc is a geological region corresponding to the arched [mountain range](#) that surrounds the sea of Alborán (located between the Iberian peninsula and Africa), and it is formed by the Baetic System (south of Spain), the Strait of Gibraltar and the Rif (north of Morocco).

The team of geologists from the universities of Granada, Pablo de Olavide (Seville) and the Andalusian Earth Sciences Institute (IACT from its abbreviation in Spanish), has analyzed the existing connection between the different episodes of deformation that the Baetic and Rif mountain ranges have suffered (which include folds and ridges), as well as the paleomagnetism data of previous publications.



UGR researcher Ana Crespo-Blanc on board the Japanese ship Chykyu during an expedition. Credit: UGRdivulga

"This work, published in the journal *Tectonophysics*, is the first in the world that shows both the homogeneity of block rotations and the speed of rotations for the Gibraltar Arc. It reconciles much apparently contradictory data, particularly in relation to the kinematic markers of the movements associated with large geological structures such as faults systems 9 million years ago," professor Crespo-Blanc explains.

Their research culminates with a reconstruction of the Gibraltar Arc 9

million years ago, at a key moment in the tectonic history of the collision between Africa and Iberia, shortly before the closure of the connection between the Atlantic and the Mediterranean and when the Gibraltar Arc was situated more to the East than at present.

**More information:** Ana Crespo-Blanc et al, Clues for a Tortonian reconstruction of the Gibraltar Arc: Structural pattern, deformation diachronism and block rotations, *Tectonophysics* (2016). [DOI: 10.1016/j.tecto.2016.05.045](https://doi.org/10.1016/j.tecto.2016.05.045)

Provided by University of Granada

Citation: Andalusian scientists reconstruct what the Gibraltar Arc was like 9 million years ago (2017, January 30) retrieved 27 April 2024 from <https://phys.org/news/2017-01-andalusian-scientists-reconstruct-gibraltar-arc.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.