


NASA scientists demonstrate technique to improve particle warnings that protect astronauts

March 2 2017, by Sarah Frazier





Scientists from NASA and the National Center for Atmospheric Research have shown that data from a ground-based instrument called K-Cor can give scientists early warning of a certain type of incoming space weather that can impact astronauts. This composite image shows a coronal mass ejection, a type of space weather linked to solar energetic particles, as seen from two space-based solar observatories and one ground-based instrument. The image in gold is from NASA's Solar Dynamics Observatory, the image in blue is from the Manua Loa Solar Observatory's K-Cor coronagraph, and the image in red is from ESA and NASA's Solar and Heliospheric Observatory. Credit: NASA/ESA/SOHO/SDO/Joy Ng and MLSO/K-Cor

Our constantly-changing sun sometimes erupts with bursts of light, solar material, or ultra-fast energized particles—collectively, these events contribute to space weather. In a study published Jan. 30, 2017, in *Space Weather*, scientists from NASA and the National Center for Atmospheric Research, or NCAR, in Boulder, Colorado, have shown that the warning signs of one type of space weather event can be detected tens of minutes earlier than with current forecasting techniques - critical extra time that could help protect astronauts in space.

Earth's magnetic field and atmosphere protect us on the ground from most of the harmful effects of <u>space weather</u>, but astronauts in low-Earth orbit—or even, one day, in interplanetary space—are more exposed to space weather, including bursts of fast-moving particles called solar <u>energetic particles</u>, or SEPs.

"Robotic spacecraft are usually radiation-hardened to protect against these kinds of events," said Chris St. Cyr, a space scientist at NASA's Goddard Space Flight Center in Greenbelt, Maryland, and lead author on the study. "But humans are still susceptible."



So NASA wants to help improve systems that would provide future astronauts with advance warning of incoming SEPs. In the recent paper, scientists showed that tracking an associated kind of solar explosion—fast-moving clouds of magnetic solar material, called coronal mass ejections—can help.

Scientists observe <u>coronal mass ejections</u> using a type of instrument called a coronagraph, in which a solid disk blocks the sun's bright face, revealing the sun's tenuous atmosphere, called the corona. Space-based coronagraphs are more widely used in space weather research because of their wide-field solar views that are not interrupted by cloud cover or Earth's rotation. But ground-based coronagraphs have their own advantages—while they can only observe the sun in the day during clear weather, they can return data almost instantly, and at a much higher time resolution than satellite instruments. This speed of data return could make a significant difference, given that SEPs can move at nearly the speed of light—so their total travel time can be less than an hour from the time they're accelerated near the sun to when they reach Earth.

"With space-based coronagraphs, we get images back every 20-30 minutes," said St. Cyr. "You'll see the CME in one frame, and by the time you get the next frame—which contains the information we need to tell how fast it's moving—the energetic particles have already arrived."

For this study, scientists worked backwards to see whether they could use a ground-based coronagraph to get that key information on the CME's speed fast enough to lengthen the warning time. They selected an SEP event and then went back to check if the data was available from a coronagraph called K-Cor, which is part of NCAR's High Altitude Observatory and sits on top of the Mauna Loa volcano in Hawaii. Their search confirmed that the necessary information to predict the arrival of the energetic particles was available about 45 minutes before the particles arrived at Earth—tens of minutes before they left the sun's



inner atmosphere.

The next step is to repeat this study over and over—using both archived data and future observations—in order to see if the early signatures of these energetic particles can be reliably detected in K-Cor's images. This confirmation, along with planned improvements that would put K-Cor's images online even faster, could make it possible for this technique to become a tool in space weather forecasting, such as is provided for the nation by the U.S. National Oceanic and Atmospheric Association.

"Currently, processed images from K-Cor are available on the internet in less than 15 minutes after they're taken," said Joan Burkepile, an author on the study based at NCAR and principal investigator for the K-Cor instrument. "We're installing a more powerful computer at the observatory in Hawaii to process the images seconds after they are acquired and provide the data on the internet within a minute or two of acquisition."

More information: O. C. St. Cyr et al, Solar energetic particle warnings from a coronagraph, *Space Weather* (2017). DOI: 10.1002/2016SW001545

Provided by NASA's Goddard Space Flight Center

Citation: NASA scientists demonstrate technique to improve particle warnings that protect astronauts (2017, March 2) retrieved 20 April 2024 from <u>https://phys.org/news/2017-03-nasa-scientists-technique-particle-astronauts.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.