

30 pages of calculations settle a 30-year debate over a mysterious new phase of matter

May 30 2017



With 30 pages of handwritten calculations, Duke postdoctoral fellow Sho Yaida has laid to rest a 30-year-old mystery about the nature of glass and 'disordered' materials at low temperatures. They may in fact be a new state of matter. Credit: Irem Altan

Zoom in on a crystal and you will find an ordered array of atoms, evenly spaced like the windows on the Empire State Building. But zoom in on a piece of glass, and the picture looks a bit messier—more like a random pile of sand, or perhaps the windows on a Frank Gehry building.


The highly-ordered nature of crystals makes them fairly simple to understand mathematically, and physicists have developed theories that capture all sorts of crystal properties, from how they absorb heat to what happens when they break.

But the same can't be said of glassy, amorphous or otherwise "disordered" materials such as the glass in our windows and vases, frozen food, and certain plastics. There are no widely agreed-upon theories to explain their physical behavior.

For nearly 30 years, physicists have debated whether a mysterious phase transition, present in theoretical models of disordered materials, might also exist in real-life glasses. With the help of some mathematical wizardry borrowed from particle physics—plus dozens of pages of algebraic calculations, all done by hand—Duke University postdoctoral fellow Sho Yaida has laid this mystery to rest.

Yaida's insights open up the possibility that some types of glass may exist in a new state of matter at low temperatures, influencing how they respond to heat, sound and stress, and how and when they break.

"We found hints of the transition that we didn't dare say was evidence of the transition because part of the community said that it could not exist," said Patrick Charbonneau, associate professor of chemistry at Duke and Yaida's advisor. "What Sho shows is that it can exist."



Earlier calculations failed to find a 'fixed point' in three dimensions, or a spot where all the lines overlap (left). By taking these calculations one step further, Yaida was able to find the fixed point (right), showing that a new phase transition might exist in glasses at low temperatures. Credit: Sho Yaida

Mind-boggling as it may seem, Charbonneau said, the mathematics behind glasses and other disordered systems is actually much easier to solve by assuming that these materials exist in a hypothetical infinite-dimensional universe. In infinite dimensions, their properties can be calculated relatively easily—much like how the properties of crystals can be calculated for our three-dimensional universe.

"The question is whether this model has any relevance to the [real world](#)." Charbonneau said. For researchers who carried out these calculations, "the gamble was that, as you change dimension, things change slowly enough that you can see how they morph as you go from an infinite number of dimensions to three," he said.

One feature of these infinite dimensional calculations is the existence of a phase transition—called the "Gardner transition" after pioneering physicist Elizabeth Gardner—which, if present in glasses, could significantly change their properties at [low temperatures](#).

But did this phase transition, clearly present in infinite dimensions, also exist in three? Back in the 1980s, a team of physicists produced mathematical calculations showing that no, it could not. For three decades, the prevailing viewpoint remained that this transition, while theoretically interesting, was irrelevant to the real world.

That is, until recent experiments and simulations by Charbonneau and others started showing hints of it in three-dimensional glasses.

"The new drive to look at this is that, when attacking the problem of glass formation, they found a transition very much like the one that appeared in these studies," Charbonneau said. "And in this context it can have significant materials applications."



Duke postdoctoral fellow Sho Yaida has laid to rest a 30-year-old mystery about the nature of glass and 'disordered' materials at low temperatures. They may in fact be a new state of matter, the research suggests. Credit: Sasha Taylor, CC-BY-SA-3.0 license.

Yaida, who has a background in particle physics, took a second look at the old mathematical proofs. These calculations had failed to find a "fixed point" in three dimensions, a prerequisite for the existence of a phase transition. But if he took the [calculation](#) one more step, he thought, the answer might change.

One month and 30 pages of calculations later, he had it.

"Moments like these are the reason why I do science," Yaida said. "It is

just a point, but it means a lot to people in this field. It shows that this exotic thing that people found in the seventies and eighties does have a physical relevance to this three-dimensional world."

After a year of checks and re-checks, plus another 60-odd pages of supporting calculations, the results were published May 26 in *Physical Review Letters*.

"The fact that this transition might actually exist in three dimensions means that we can start looking for it seriously," Charbonneau said. "It affects how sound propagates, how much heat can be absorbed, the transport of information through it. And if you start shearing the [glass](#), how it will yield, how it will break."

"It changes profoundly how we understand amorphous materials in general, whether they be amorphous plastics or piles of sand or window glasses," he said.

More information: Patrick Charbonneau et al, Nontrivial Critical Fixed Point for Replica-Symmetry-Breaking Transitions, *Physical Review Letters* (2017). [DOI: 10.1103/PhysRevLett.118.215701](https://doi.org/10.1103/PhysRevLett.118.215701)

Provided by Duke University

Citation: 30 pages of calculations settle a 30-year debate over a mysterious new phase of matter (2017, May 30) retrieved 24 April 2024 from <https://phys.org/news/2017-05-pages-year-debate-mysterious-phase.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.