

Chasing dark matter with the oldest stars in the Milky Way

January 24 2018



Barred Spiral Milky Way. Illustration Credit: R. Hurt (SSC), JPL-Caltech, NASA

Just how quickly is the dark matter near Earth zipping around? The speed of dark matter has far-reaching consequences for modern astrophysical research, but this fundamental property has eluded researchers for years.

In a paper published Jan. 22 in the journal *Physical Review Letters*, an international team of astrophysicists provided the first clue: The solution to this mystery, it turns out, lies among some of the oldest stars in the

galaxy.

"Essentially, these old stars act as visible speedometers for the invisible [dark matter](#), measuring its speed distribution near Earth," said Mariangela Lisanti, an assistant professor of physics at Princeton University. "You can think of the oldest stars as a luminous tracer for the dark [matter](#). The dark matter itself we'll never see, because it's not emitting light to any observable degree—it's just invisible to us, which is why it's been so hard to say anything concrete about it."

In order to determine which stars behave like the invisible and undetectable dark matter particles, Lisanti and her colleagues turned to a computer simulation, Eris, which uses supercomputers to replicate the physics of the Milky Way galaxy, including dark matter.

"Our hypothesis was that there's some subset of stars that, for some reason, will match the movements of the dark matter," said Jonah Herzog-Arbeitman, an undergraduate and a co-author on the paper. His work with Lisanti and her colleagues the summer after his first year at Princeton turned into one of his junior papers and contributed to this journal article.

Herzog-Arbeitman and Lina Necib at the California Institute of Technology, another co-author on the paper, generated numerous plots from Eris data that compared various properties of dark matter to properties of different subsets of stars.

Their big breakthrough came when they compared the velocity of dark matter to that of stars with different "metallicities," or ratios of heavy metals to lighter elements.

The curve representing dark matter matched up beautifully with the stars that have the least heavy metals: "We saw everything line up," Lisanti

said.

"It was one of those great examples of a pretty reasonable idea working pretty darn well," Herzog-Arbeitman said.

Astronomers have known for decades that metallicity can serve as a proxy for a star's age, since metals and other heavy elements are formed in supernovas and the mergers of neutron stars. The small galaxies that merged with the Milky Way typically have comparatively less of these heavy elements.

In retrospect, the correlation between dark matter and the oldest stars shouldn't be surprising, said Necib. "The dark matter and these old stars have the same initial conditions: they started in the same place and they have the same properties ... so at the end of the day, it makes sense that they're both acted on only through gravity," she said.

Why it matters

Since 2009, researchers have been trying to observe dark matter directly, by putting very dense material—often xenon—deep underground and waiting for the dark matter that flows through the planet to interact with it.

Lisanti compared these "direct detection" experiments to a game of billiards: "When a dark matter particle scatters off a nucleus in an atom, the collision is similar to two billiard balls hitting each other. If the [dark matter particle](#) is much less massive than the nucleus, then the nucleus won't move much after the collision, which makes it really hard to notice that anything happened."

That's why constraining the speed of dark matter is so important, she explained. If dark matter particles are both slow and light, they might not

have enough kinetic energy to move the nuclear "billiard balls" at all, even if they smack right into one.

"But if the dark matter comes in moving faster, it's going to have more kinetic energy. That can increase the chance that in that collision, the recoil of the nucleus is going to be greater, so you'd be able to see it," Lisanti said.

Originally, scientists had expected to see enough particle interactions—enough moving billiard balls—to be able to derive the mass and velocity of the dark matter particles. But, Lisanti said, "we haven't seen anything yet."

So instead of using the interactions to determine the speed, researchers like Lisanti and her colleagues are hoping to flip the script, and use the speed to explain why the direct detection experiments haven't detected anything yet.

The failure—at least so far—of the direct detection experiments leads to two questions, Lisanti said. "How am I ever going to figure out what the speeds of these things are?" and "Have we not seen anything because there's something different in the speed distribution than we expected?"

Having a completely independent way to work out the speed of dark matter could help shed light on that, she said. But so far, it's only theoretical. Real-world astronomy hasn't caught up to the wealth of data produced by the Eris simulation, so Lisanti and her colleagues don't yet know how fast our galaxy's [oldest stars](#) are moving.

Fortunately, that information is being assembled right now by the European Space Agency's Gaia telescope, which has been scanning the Milky Way since July 2014. So far, information on only a small subset of stars has been released, but the full dataset will include far more data

on nearly a billion [stars](#).

"The wealth of data on the horizon from current and upcoming stellar surveys will provide a unique opportunity to understand this [fundamental property](#) of dark matter," Lisanti said.

More information: *Physical Review Letters* (2018). [DOI: 10.1103/PhysRevLett.120.041102](#)

Provided by Princeton University

Citation: Chasing dark matter with the oldest stars in the Milky Way (2018, January 24) retrieved 25 April 2024 from <https://phys.org/news/2018-01-dark-oldest-stars-milky.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--