

Origami-inspired self-locking foldable robotic arm

March 15 2018



Drone with robotic arm can grip an object in the ditch. Credit: Seoul National University

A research team of Seoul National University led by Professor Kyu-Jin Cho has developed an origami-inspired robotic arm that is foldable, self-assembling and also highly-rigid. (The researchers include Suk-Jun Kim, Dae-Young Lee, Gwang-Pil Jung, Professor of SeoulTech)

They developed a novel [robotic arm](#) using a concept of variable stiffness. The robotic arm made it possible to change the shape with a single [wire](#), thus raising the possibility of practical use of the origami structure. The robotic arm is light-weighted, and can fold flat and extend like an automatic umbrella and even becomes instantly stiff.

The key principle is a collapsible locker and this enables the robotic arm to overcome the drawbacks of origami-inspired structures that is hard to withstand external forces and is hard to be easily actuated.

The variable stiffness [mechanism](#) is based on an origami principle of perpendicular folding; two perpendicular fold lines constrain each other's movement. By using this principle, a hexagonal structure (40X40X100 mm) which weighs less than 30 g can withstand more than 12 kg of compressive load. On the other hand, the lockers can be easily unlocked and the structure is folded flat by pulling a single wire with a small force.

Benefits of the foldable robotic arm can be maximized when it is attached to drones where the weight and the size constraints are the most extreme. In the video, the drone unfolds the robotic arm, picks up an object in the ditch, and films the trees. When the robotic arm is not in use, it folds flat for convenient maneuvering, easy take-off and landing. The proposed variable stiffness mechanism can be applied to other types of robots and structures in extreme environments such as polar area, desert, underwater, and space.



Credit: Seoul National University

Professor Cho said, "Soft robots have great advantages in their flexible movement, but they have a limitation in that they cannot support high load without deformation. This robotic arm uses the variable stiffness technology which gains merits of both rigid and soft robots. With this property, the robotic arm can be folded flat when not in use and can be stiff when necessary. In addition, the arm is made of composite of tough ripstop fabric and specially handled strong PET film for the practical use."

The research will be published in the 16th issue of *Science Robotics* as a cover article on March 14, 2018.

How can the robotic arm fold and unfold with a single wire? The wire path is designed to unlock the variable stiffness mechanism sequentially and then to fold the arm with the wire. When the wire is pulled with a motor, the force to unlock the variable stiffness mechanism and the force to fold the arm occur simultaneously. When lockers are wedged inside the module, the variable [stiffness](#) mechanism moves and unlocks the [structure](#), making it flexible to be folded flat. Then the robotic arm starts to fold. This wire-driven actuation has a great advantage in scalability. It can be not only applied to one module but also to serially connected arm as shown in the video. When the wire is unwound, the module is extended by rubber band installed inside and the lockers are installed by the magnets.

More information: Suk-Jun Kim et al. An origami-inspired, self-

locking robotic arm that can be folded flat, *Science Robotics* (2018).
[DOI: 10.1126/scirobotics.aar2915](https://doi.org/10.1126/scirobotics.aar2915)

Provided by Seoul National University

Citation: Origami-inspired self-locking foldable robotic arm (2018, March 15) retrieved 2 May 2024 from <https://phys.org/news/2018-03-origami-inspired-self-locking-foldable-robotic-arm.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.