


Researchers control the properties of graphene transistors using pressure

May 16 2018, by Jessica Guenzel



By compressing layers of boron nitride and graphene, researchers were able to enhance the material's band gap, bringing it one step closer to being a viable semiconductor for use in today's electronic devices. Credit: Philip Krantz

A Columbia University-led international team of researchers has developed a technique to manipulate the electrical conductivity of graphene with compression, bringing the material one step closer to

being a viable semiconductor for use in today's electronic devices.

"Graphene is the best electrical conductor that we know of on Earth," said Matthew Yankowitz, a postdoctoral research scientist in Columbia's physics department and first author on the study. "The problem is that it's too good at conducting electricity, and we don't know how to stop it effectively. Our work establishes for the first time a route to realizing a technologically relevant band gap in graphene without compromising its quality. Additionally, if applied to other interesting combinations of 2-D materials, the technique we used may lead to new emergent phenomena, such as magnetism, superconductivity, and more."

The study, funded by the National Science Foundation and the David and Lucille Packard Foundation, appears in the May 17 issue of *Nature*.

The unusual electronic properties of graphene, a two-dimensional (2-D) material comprised of hexagonally-bonded [carbon atoms](#), have excited the physics community since its discovery more than a decade ago. Graphene is the strongest, thinnest material known to exist. It also happens to be a superior conductor of electricity—the unique atomic arrangement of the carbon atoms in graphene allows its electrons to easily travel at extremely high velocity without the significant chance of scattering, saving precious energy typically lost in other conductors.

But turning off the transmission of electrons through the material without altering or sacrificing the favorable qualities of graphene has proven unsuccessful to-date.

"One of the grand goals in graphene research is to figure out a way to keep all the good things about graphene but also create a band gap—an electrical on-off switch," said Cory Dean, assistant professor of physics at Columbia University and the study's principal investigator. He explained that past efforts to modify graphene to create such a band gap

have degraded the intrinsically good properties of graphene, rendering it much less useful. One superstructure does show promise, however. When graphene is sandwiched between layers of boron nitride (BN), an atomically-thin electrical insulator, and the two materials are rotationally aligned, the BN has been shown to modify the electronic structure of the graphene, creating a band gap that allows the material to behave as a semiconductor—that is, both as an electrical conductor and an insulator. The band gap created by this layering alone, however, is not large enough to be useful in the operation of electrical transistor devices at room temperature.

In an effort to enhance this band gap, Yankowitz, Dean, and their colleagues at the National High Magnetic Field Laboratory, the University of Seoul in Korea, and the National University of Singapore, compressed the layers of the BN-graphene structure and found that applying pressure substantially increased the size of the band gap, more effectively blocking the flow of electricity through the graphene.

"As we squeeze and apply pressure, the band gap grows," Yankowitz said. "It's still not a big enough gap—a strong enough switch—to be used in transistor devices at room temperature, but we have gained a fundamentally better understanding of why this [band gap](#) exists in the first place, how it can be tuned, and how we may target it in the future. Transistors are ubiquitous in our modern [electronic devices](#), so if we can find a way to use [graphene](#) as a transistor it would have widespread applications."

Yankowitz added that scientists have been conducting experiments at high pressures in conventional three-dimensional materials for years, but no one had yet figured out a way to do them with 2-D materials. Now, researchers will be able to test how applying various degrees of pressure changes the properties of a vast range of combinations of stacked 2-D materials.

"Any emergent property that results from the combination of 2-D materials should grow stronger as the materials are compressed," Yankowitz said. "We can take any of these arbitrary structures now and squeeze them and the strength of the resulting effect is tunable. We've added a new experimental tool to the toolbox we use to manipulate 2-D [materials](#) and that tool opens boundless possibilities for creating devices with designer properties."

More information: Dynamic band - structure tuning of graphene moiré superlattices with pressure, *Nature* (2018).
[nature.com/articles/doi:10.1038/s41586-018-0107-1](https://doi.org/10.1038/s41586-018-0107-1)

Provided by Columbia University

Citation: Researchers control the properties of graphene transistors using pressure (2018, May 16) retrieved 2 May 2024 from <https://phys.org/news/2018-05-properties-graphene-transistors-pressure.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.
