

# Elastic slingshot powers snipefish feeding

July 23 2018

---



Credit: CC0 Public Domain

The snipefish, an ocean-dwelling relative of the seahorse, has a very long, skinny snout ending in a tiny mouth. A recent study by UC Davis graduate student Sarah Longo shows that snipefish feed with an elastic-boosted head flick at almost unprecedented speed.

"At as little as two milliseconds, it's among the fastest feeding events ever recorded for fish," said Longo, now a postdoctoral researcher at Duke University.

Snipefish, seahorses and pipefish all have long, skinny snouts and use "pivot feeding" to capture food, Longo said, meaning that they pivot their head rapidly to bring their mouth up close to the prey and suck it in.

"Not only do they pivot, but they pivot faster than their muscles should allow," she said.

Seahorses and pipefish have recently been shown to get around this problem by storing [energy](#) in an elastic recoil mechanism. Longo wanted to know if snipefish were up to the same thing.

She first used high-speed video cameras to record snipefish feeding in the lab. Based on those videos, Longo was able to measure how fast the fish pivoted their heads and estimate the amount of energy involved.

## **Elastic recoil rapidly releases stored energy**

The snipefish feeding strike took from two to 7.5 milliseconds from start to prey capture, with an instantaneous power requirement averaging 2800 Watts per kilogram of body weight. The power estimates ranged as high as 5500 Watts per kilogram.

Longo used micro computed tomography and digital X-ray imaging to examine the bones and tendons inside the snipefish's head. She found that the fish use a latched elastic recoil mechanism—like a slingshot, or a compressed spring—to power their feeding strike.

"This mechanism behaves analogous to a slingshot, but instead of a

rubber band, the fish stores energy in tendons," Longo said. The mechanism involves a set of bones in the snipefish head and is latched in place by the specific arrangement of a small pair of hyoid bones located below the eye in the "cheek" region of the fish. With the hyoid latched, muscles behind the head put the tendon under tension. A small movement of the hyoid by a muscle releases the latch and unleashes the stored energy.

The discovery has implications for the evolution of this order of fishes, she said. Elastic recoil mechanisms are now known in three types of fish in two families in this group: Seahorses, pipefish and now snipefish. That means that the mechanism may have evolved either very early in the history of the group, or evolved separately in the snipefish and the more closely related pipefish and seahorses.

**More information:** Sarah J. Longo et al, Extremely fast feeding strikes are powered by elastic recoil in a seahorse relative, the snipefish, *Macroramphosus scolopax*, *Proceedings of the Royal Society B: Biological Sciences* (2018). [DOI: 10.1098/rspb.2018.1078](https://doi.org/10.1098/rspb.2018.1078)

Provided by UC Davis

Citation: Elastic slingshot powers snipefish feeding (2018, July 23) retrieved 27 April 2024 from <https://phys.org/news/2018-07-elastic-slingshot-powers-snipefish.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--