

Global warming: More insects, eating more crops

August 30 2018



Credit: CC0 Public Domain

Crop losses for critical food grains will increase substantially as the

climate warms, as rising temperatures increase the metabolic rate and population growth of insect pests, according to new research.

"Climate change will have a negative impact on crops," said Scott Merrill of the University of Vermont, a co-author of the study published today in *Science*. "We're going to see increased pest pressure with [climate change](#)."

The research team looked at how the insect pests that attack three staple crops—rice, maize and wheat—would respond under a variety of climate scenarios. They found that rising global temperatures would lead to an increase in crop losses from insects, especially in temperate regions. Losses are projected to rise by 10 to 25% per degree of warming.

Just a 2-degree rise in [global average temperature](#) will result in total crop losses of approximately 213 million tons for the three grains, the researchers say.

Insects like it hotter—up to a point

The losses will come from an increase in insect metabolism, and from faster insect [population growth](#) rates. The link with metabolism is straightforward. "When the temperature increases, the insects' metabolism increases so they have to eat more," said Merrill, a researcher in UVM's Dept. of Plant and Soil Science and Gund Institute for Environment. "That's not good for crops."

The link with [population](#) growth, however, is more complex. Insects have an optimal temperature where their population grows best. If the temperature is too cold or too hot, the population will grow more slowly. That is why the losses will be greatest in temperate regions, but less severe in the tropics.

"Temperate regions are not at that optimal temperature, so if the temperature increases there, populations will grow faster," said Merrill, an ecologist who studies plant-crop interactions. "But insects in the tropics are already close to their optimal temperature, so the populations will actually grow slower. It's just too hot for them."

Key grain crops to take a hit

According to the study, wheat, which is typically grown in cool climates, will suffer the most, as increased temperatures will lead to greater insect metabolism, as well as increased pest populations and survival rates over the winter. Maize, which is grown in some areas where population rates will increase and others where they will decline, will face a more uneven future.

In rice, which is mostly grown in warm tropical environments, crop losses will actually stabilize if average temperatures rise above 3°C, as population growth drops, counteracting the effect of increased metabolism in the pests. "Rice losses will taper off as the [temperature](#) rises above a certain point," said Merrill.

That means that the most substantial yield declines will happen in some of the world's most productive agricultural regions. "The overall picture is, if you're growing a lot of food in a temperate region, you're going to be hit hardest," said Merrill.

"I hope our results demonstrate the importance of collecting more data on how pests will impact crop losses in a warming world—because collectively, our choice now is not whether or not we will allow warming to occur, but how much warming we're willing to tolerate," said Curtis Deutsch of the University of Washington, who co-led the study with Joshua Tewksbury, director of Future Earth at the University of Colorado, Boulder.

France, China and the United States, which produce most of the world's maize, are among the countries that are expected to experience the largest increases in crop losses from [insect pests](#). France and China, as major producers of wheat and rice, respectively, are also expected to face large increases in losses of those grains as well. "The areas that produce the most grain, especially wheat and corn—the US, France and China—are going to be hit hardest," said Merrill.

Reduced yields in these three staple crops are a particular concern, because so many people around the world rely on them. Together they account for 42% of direct calories consumed by humans worldwide. Increased [crop losses](#) will result in a rise in food insecurity, especially in those parts of the world where it is already rife, and could lead to conflict.

As farmers adapt to a changing climate by shifting planting dates or switching to new cultivars, they will also have to find ways to deal with pests, by introducing new crop rotations, or using more pesticides. But not all of these strategies will be available to all farmers. "There are a lot of things richer countries can do to reduce the effect, by increasing pesticide use or expanding integrated [pest](#) management strategies," said Merrill. "But poorer countries that rely on these [crops](#) as staple grains will have a harder time."

More information: C.A. Deutsch et al., "Increase in crop losses to insect pests in a warming climate," *Science* (2018).

[science.sciencemag.org/cgi/doi ... 1126/science.aat3466](https://science.sciencemag.org/cgi/doi/10.1126/science.aat3466)

Provided by University of Vermont

Citation: Global warming: More insects, eating more crops (2018, August 30) retrieved 23 March

2023 from <https://phys.org/news/2018-08-global-insects-crops.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.