


Origin of life in membraneless protocells

October 9 2018



Fluorescence microscopic image of membraneless microdroplets (coacervates). The green fluorescence proves RNA enzymatic activity within the coacervates. Credit: Drobot and Tang / MPI-CBG

How life arose from non-living chemicals more than 3.5 billion years ago on Earth is a still-unanswered question. The RNA world hypothesis assumes that RNA biomolecules were key players during this time as they carry genetic information and act as enzymes. However, one requirement for RNA activity is that there are a certain number of molecules within close enough proximity to one another. This would be

possible if RNA was contained within a compartment, such as membraneless microdroplets (coacervates). Researchers at the Max Planck Institute of Molecular Cell Biology and Genetics in Dresden and the Max Planck Institute of Biochemistry in Martinsried have shown for the first time that simple RNA is active within membraneless microdroplets, enabling a suitable environment for the beginning of life.

The RNA world hypothesis assumes that [life](#) originates from self-replicating RNA, a biomolecule which was present before the evolution of DNA and proteins. However, researchers assume that on an early planet Earth concentrations of RNA and their building blocks may have been too dilute for a reaction to take place. Therefore, the scattered RNA molecules needed to find a way to one another to create a reaction and start life. Suitable places for accumulating RNA could have been within compartments. Compartments can be formed with a membrane such as the cell or without a membrane where molecules can exchange readily with their environment. Membraneless compartments can be formed by phase-separation of oppositely charged molecules, a process that is similar to the separation of oil drops in water.

In their study, the researchers proved for the first time that RNA is active within such membraneless microdroplets, supporting a previous hypothesis that coacervates act as protocells and could therefore be a precursor of the cell that exists today. The ability of coacervates to accumulate RNA would have helped to overcome the dilution problem of biomolecules and offered a suitable environment for reactions with each other. Furthermore, these membraneless droplets allow free transfer of RNA between the droplets. Dr. Björn Drobot, the first author of this study, explains: "One of the really exciting things is that we have shown that coacervates act as a controlled genetic transfer system, in which shorter RNA pieces can shuttle between droplets while longer pieces are trapped in the hosting microdroplet. In this way, these protocells (coacervates) have the ability to transfer genetic information

between other protocells which would have been an important criterion for starting life."

Those findings show that membraneless microdroplets are beneficial for a selective accumulation of RNA. Dr. Dora Tang, who led the project points out: "It was hypothesized by a Russian scientist (Oparin) in the 1920s that coacervate droplets could have been the first compartments on earth and existed before cells with a membrane evolved. They provide a way for biomolecules to concentrate create the first life on Earth. The study from my lab adds to a body of work from us and others where there is increasing evidence that coacervates are interesting systems for compartmentalization in origin of life studies as well as studies in modern biology and synthetic biology."

More information: Björn Drobot et al. Compartmentalised RNA catalysis in membrane-free coacervate protocells, *Nature Communications* (2018). [DOI: 10.1038/s41467-018-06072-w](https://doi.org/10.1038/s41467-018-06072-w)

Provided by Max Planck Society

Citation: Origin of life in membraneless protocells (2018, October 9) retrieved 26 April 2024 from <https://phys.org/news/2018-10-life-membraneless-protocells.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--