

Tropical mountain species in the crosshairs of climate change

November 6 2018, by Krishna Ramanujan



A mayfly aquatic nymph. Credit: José Vieira/USFQ/Tropical Herping, Nushiño River, Napo Basin, Ecuador.

Lack of varied seasons and temperatures in tropical mountains have led

to species that are highly adapted to their narrow niches, creating the right conditions for new species to arise in these areas, according to a new study published in the *Proceedings of the National Academy of Sciences*.

Still, the same traits that make tropical mountains among the most biodiverse ecosystems on Earth also make the [species](#) that live there more vulnerable to rapid climate changes, the study finds.

The research compares rates of species evolution in three types of aquatic stream insects—mayflies (Ephemeroptera), stoneflies (Plecoptera) and caddisflies (Trichoptera) - in temperate and tropical [mountain](#) areas. The findings have implications for similar patterns in other tropical mountain species.

An interdisciplinary team of physiologists, geneticists and genomics specialists, population biologists and taxonomists from four universities gathered samples and data from mountain streams in the Colorado Rocky Mountains and in the Ecuadorian Andes over a two-year period.

"Because the tropics are not as seasonal as the more northern temperate zones, bugs in the tropics can't get too cold or too hot, and thus they have a narrow thermal breadth," said Kelly Zamudio, professor in the Department of Ecology and Evolutionary Biology at Cornell University, and a senior co-author of the study. "We also found that they move less up and down the side of the mountain, and there are more species [on tropical mountains] as a result. Nobody had tested all three of those patterns in the same system before."



A caddisfly aquatic larvae in a protective casing it made with silk and leaves.
 Credit: José Vieira/USFQ/Tropical Herping, Nushiño River, Napo Basin,
 Ecuador

The findings support and reveal the mechanisms behind a classic 1967 paper that predicted these dynamics.

Factors of temperature tolerance and range of movement also effect how species in each of these regions will respond to climate change. Because [tropical species](#) can't withstand large temperature shifts and have limited movement, they are much more susceptible to rapid [temperature](#) shifts due to [anthropogenic climate change](#).

"It's really paradoxical that the same factors that lead to a lot of species

are the factors that are going to endanger those species in the tropics," Zamudio said.

More information: Nicholas R. Polato et al, Narrow thermal tolerance and low dispersal drive higher speciation in tropical mountains, *Proceedings of the National Academy of Sciences* (2018). [DOI: 10.1073/pnas.1809326115](https://doi.org/10.1073/pnas.1809326115)

Provided by Cornell University

Citation: Tropical mountain species in the crosshairs of climate change (2018, November 6) retrieved 24 April 2024 from <https://phys.org/news/2018-11-tropical-mountain-species-crosshairs-climate.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.