


Broadband achromatic metalens focuses light regardless of polarization

January 21 2019



These newly designed nano-structures on the surface of a metalens can focus light regardless of its polarization, doubling the efficiency of the lens. Credit: Capasso Lab/Harvard SEAS


We live in a polarized world. No, we aren't talking about politics—we're talking about light. Much of the light we see and use is partially polarized, meaning its electric field vibrates in specific directions. Lenses designed to work across a range of applications, from phone cameras to microscopes and sensors, need to be able to focus light regardless of its polarization.

Researchers believed that symmetric nanostructures such as circular pillars were essential building blocks to develop photonic devices that are not sensitive to polarization. Now, researchers from the Harvard John A. Paulson School of Engineering and Applied Sciences (SEAS) have developed a polarization-insensitive metalens comprised of non-symmetric nanofins that can achromatically focus light across the visible spectrum without aberrations. This [flat lens](#) could be used for everything from virtual or augmented reality headsets to microscopy, lithography, sensors, and displays.

"By making this lens polarization insensitive, we have doubled the efficiency of the metalens from previous iterations," said Wei Ting Chen, a research associate at SEAS and first author of the paper. "This is the first paper that demonstrates both achromatic and polarization insensitive focusing in the visible spectrum."

The research was led by Federico Capasso, the Robert L. Wallace Professor of Applied Physics and Vinton Hayes Senior Research Fellow in Electrical Engineering at SEAS, and published in *Nature Communications*.

In previous research, Capasso, Chen and their team demonstrated that arrays of titanium dioxide nanofins could equally focus wavelengths of light and eliminate [chromatic aberration](#), but those lenses could only focus a circularly polarized light.



These newly designed nano-structures on the surface of a metalens can focus light regardless of its polarization, doubling the efficiency of the lens. Credit: Capasso Lab/Harvard SEAS

"This meant we were essentially discarding half of the incident [light](#) which does not possess the right [polarization](#)," said Alexander Zhu, co-author of the study and graduate student at SEAS.

In this latest design, the researchers changed the layout of the nanofins, positioning each pillar so that it is either parallel or perpendicular to its neighbor.

"This new design gives us a lot of freedom to tune the geometrical parameters of the metalens, which allows us to better achieve achromatic focusing across the entire visible range," said Chen.

"Next we aim to maximize efficiency and make much larger-size achromatic metalenses to bring them into everyday life for a wide range of applications," said Capasso

Harvard's Office of Technology Development has protected the intellectual property relating to this project and is exploring commercialization opportunities.

More information: Wei Ting Chen et al, A broadband achromatic polarization-insensitive metalens consisting of anisotropic nanostructures, *Nature Communications* (2019). [DOI: 10.1038/s41467-019-08305-y](https://doi.org/10.1038/s41467-019-08305-y)

Provided by Harvard John A. Paulson School of Engineering and Applied Sciences

Citation: Broadband achromatic metalens focuses light regardless of polarization (2019, January 21) retrieved 10 April 2024 from <https://phys.org/news/2019-01-broadband-achromatic-metalens-focuses-polarization.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--