

New complex carbohydrate discovered in barley

January 8 2019



New complex carbohydrate discovered in barley. Credit: ARC Centre of Excellence in Plant Cell Walls, The University of Adelaide

University of Adelaide researchers have discovered a new complex carbohydrate in barley. The first of its kind to be discovered in over 30 years, the cereal polysaccharide has potential applications in food, medicine and cosmetics.

The research by the University of Adelaide's School of Agriculture, Food and Wine, has been published in the American Chemistry Society journal *ACS Central Science*.

The new polysaccharide, discovered by Senior Research Scientist Dr. Alan Little, and the team at the former ARC Centre of Excellence in Plant Cell Walls, located at the University's Waite campus, has the potential to be exploited for many uses.

"Plant cell walls contain components that are of major interest for many industries such as [renewable sources](#) for energy production, [composite materials](#) or food products," says Dr. Little.

"Knowledge of this new polysaccharide will open up further research to determine its role in the plant.

"We know that it can be found in the roots of barley suggesting it may play a role in [plant growth](#) or resistance to external stresses such as salinity or disease.

"By observing natural variation of the polysaccharide in different cereal crops we will aim to identify links to important agricultural traits," says Dr. Little.

The new polysaccharide is a mix of glucose, commonly found in cellulose, and xylose, which is found in dietary fibre. Based on the relative proportions of each sugar, the hybrid polysaccharide has the potential to behave as a structural component of the wall providing strength or conversely as a viscous gel.

Further research is required to understand the new polysaccharide's potential uses. Existing polysaccharides have a wide range of uses. They improve the quality of dietary fibre in porridge and are also used extensively in biomedical and cosmetic applications.

"The properties of the new polysaccharide could be manipulated to suit the desired function, increasing the range of potential uses," says Dr.

Little.

"The genes involved in the biosynthesis of the new [polysaccharide](#) were also discovered as part of this work.

"The same genes can be found in all major cereal crops – not just barley.

"We can now use this knowledge to find ways of increasing these polysaccharides in crops, providing the possibility of generating plant material with a range of potentially different physical properties for industrial applications."

Provided by University of Adelaide

Citation: New complex carbohydrate discovered in barley (2019, January 8) retrieved 6 August 2024 from <https://phys.org/news/2019-01-complex-carbohydrate-barley.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.