

New reactor-liner alloy material offers strength, resilience

March 5 2019



Osman El Atwani (left) and Enrique Martinez at the transmission electron microscope. Credit: Los Alamos National Laboratory

A new tungsten-based alloy developed at Los Alamos National



Laboratory can withstand unprecedented amounts of radiation without damage. Essential for extreme irradiation environments such as the interiors of magnetic fusion reactors, previously explored materials have thus far been hobbled by weakness against fracture, but this new alloy seems to defeat that problem.

"This material showed outstanding radiation resistance when compared to pure nanocrystalline tungsten <u>materials</u> and other conventional <u>alloys</u>," said Osman El Atwani, the lead author of the paper and the principal investigator of the "Radiation Effects and Plasma Material Interactions in Tungsten Based Materials" project at Los Alamos. "Our investigations of the material <u>mechanical properties</u> under different stress states and response of the material under plasma exposure are ongoing."

"It seems that we have developed a material with unprecedented radiation resistance," said principal investigator Enrique Martinez Saez, a coauthor of the paper at Los Alamos. "We have never seen before a material that can withstand the level of radiation damage that we have observed for this high-entropy [four or more principal elements] alloy. It seems to retain outstanding mechanical properties after <u>irradiation</u>, as opposed to traditional counterparts, in which the mechanical properties degrade easily under irradiation."

Arun Devaraj, a materials scientist and project collaborator at Pacific Northwest National Laboratory, noted, "Atom probe tomography revealed an interesting atomic level layering of different elements in these alloys, which then changed to nanoclusters when subjected to radiation, helping us to better understand why this unique alloy is highly <u>radiation</u> tolerant."

The material, created as a thin film, is a quaternary nanocrystalline tungsten-tantalum-vanadium-chromium alloy that has been characterized under extreme thermal conditions and after irradiation.



"We haven't yet tested it in high-corrosion environments," Martinez Saez said, "but I anticipate it should perform well there also. And if it is ductile, as expected, it could also be used as turbine material since it is a refractory, high-melting-point material."

Described this week in a paper in *Science Advances*, the project was a multi-institutional effort, involving researchers and facilities of Los Alamos National Laboratory, Argonne National Laboratory, Pacific Northwest National Laboratory, Warsaw University of Technology, Poland, and the United Kingdom Atomic Energy Authority.

More information: O. El-Atwani et al, Outstanding radiation resistance of tungsten-based high-entropy alloys, *Science Advances* (2019). DOI: 10.1126/sciadv.aav2002

Provided by Los Alamos National Laboratory

Citation: New reactor-liner alloy material offers strength, resilience (2019, March 5) retrieved 28 April 2024 from https://phys.org/news/2019-03-reactor-liner-alloy-material-strength-resilience.html

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.