


Domino effect of species extinctions also damages biodiversity

May 28 2019



Credit: CC0 Public Domain

The mutual dependencies of many plant species and their pollinators mean that the negative effects of climate change are exacerbated. As UZH researchers show, the total number of species threatened with

extinction is therefore considerably higher than predicted in previous models.

Global climate change is threatening biodiversity. To predict the fate of species, ecologists use climatic models that consider individual species in isolation. This type of model, however, overlooks the fact that species are part of a giant network of mutual dependencies: For example, plants need insects to disperse their pollen and, in turn, insects depend on plants for food.

Seven pollination networks in Europe investigated

These types of mutually beneficial interactions have been very important in generating the diversity of life on Earth. But the interaction also has a negative knock-on effect when the [extinction](#) of one species causes other species that are dependent on it to also die out, an effect that is called co-extinction. Evolutionary biologists at the University of Zurich, together with ecologists from Spain, Great Britain and Chile, have now quantified how much more of an impact climate change has on biodiversity when these mutual dependencies between the species are taken into account. To this end, the researcher team analyzed the networks between flowering plants and their insect pollinators in seven different regions of Europe.

Extinction of the rock rose means the myrtle is also under threat

First author Jordi Bascompte gives a specific example to illustrate the results of the study: "In one of the networks situated in southern Spain, the sage-leaved rock rose has a 52 percent predicted probability of extinction caused by climate change in 2080. Should this happen, one of its pollinators, the small carpenter bee, would face a risk of co-extinction

as a consequence of losing one of the resources it depends upon. Because the small carpenter bee also pollinates the myrtle, the latter is also under threat of extinction." Thus while the predicted extinction risk of the myrtle considered in isolation is 38 percent, the risk rises to around 62 percent when taking into account the network of interactions.

"If the interactions of [individual species](#) are also considered, the total number of species threatened with extinction rises," summarizes Bascompte. "Some species with a very low likelihood of climate-related extinction according to the traditional model are at high risk of extinction due to their dependencies."

Particular threat to biodiversity in Mediterranean regions

The authors also observed that the role of co-extinctions in increasing the pool of species being eradicated could be particularly high in Mediterranean communities. As an example, in a community in Greece, the total number of plant species predicted to disappear locally by 2080 could be as high as between two and three times the amount expected when considering species in isolation. The researchers point to two reasons for this: First, Mediterranean regions have been more strongly affected by climate change than central and northern Europe. Second, the southern European regions are home to species with narrower distribution ranges, which makes them more susceptible to extinction than those broadly distributed. With such a high fraction of [species](#) and their interactions being driven extinct, the remaining network is more fragile and therefore prone to co-extinction cascades.

More information: Jordi Bascompte et al, Mutualistic interactions reshuffle the effects of climate change on plants across the tree of life, *Science Advances* (2019). [DOI: 10.1126/sciadv.aav2539](https://doi.org/10.1126/sciadv.aav2539)

Provided by University of Zurich

Citation: Domino effect of species extinctions also damages biodiversity (2019, May 28)
retrieved 7 May 2024 from

<https://phys.org/news/2019-05-domino-effect-species-extinctions-biodiversity.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.