

# Electron beam strengthens recyclable nanocomposite

June 12 2019




Figure 1. Carbon fiber reinforced plastic using cellulose based thermoplastic.  
Credit: Kanazawa University

Polymers reinforced with carbon fibers combine strength and low weight. They also boast significant green credentials as they are less

resource-intensive during production and use, and they are readily recycled. While the mechanical properties of continuous-fiber laminates are sufficiently competitive for applications in aerospace and automobiles, composites reinforced with short carbon fibers could be attractive for fast-manufacture, and even 3-D printing for applications with more moderate strength requirements. As a result, there is keen interest in optimizing the mechanical properties of short-fiber reinforced thermoplastics to maximize on the potential of these materials. László Szabó and Kenji Takahashi and colleagues at Kanazawa University and Kanazawa Institute of Technology have now demonstrated that irradiating short carbon fiber thermoplastics with an electron beam can improve their mechanical properties.

The researchers limited their study to polymers that so that the resulting composite could be readily recycled and remolded into other forms. With environmentally friendly concerns in mind they focused the study on the biobased cellulose propionate for the composite matrix. Their study included investigation of the effects of [electron beam](#) irradiation on the strength for polymers functionalized with esters to increase crosslinking, and enhanced with carbon [fibers](#), as well as different forms during irradiation (dumbbells and pellets) and long and short extrusion nozzles.

While the researchers were able to demonstrate a level of control over crosslinking under radiation with the use of functionalizing esters, this was not always beneficial for the [mechanical properties](#), particularly when the network of polymers hindered the mobility of the fibers. In addition, there is known to be a minimum carbon fiber length below which their inclusion compromises rather than enhances the tensile strength of the composite as their presence causes cracks.

Despite the potential drawbacks of carbon fiber inclusion and irradiation induced crosslinking, the researchers found that irradiating pellets of

short-carbon-fiber composite made them stronger. Further studies suggested that the irradiation strengthened and lengthened the carbon fibers, while irradiating pellets and making dumbbells from the pellets left sufficient uncrosslinked [polymer](#) matrix for some carbon fiber mobility to mitigate stresses. The shorter nozzle, also diminished effects that shorten carbon fiber during extrusion.

"The composite retains its potential for recyclability (i.e. still thermoplastic) and the treatment is practically chemical-free," report the researchers. Future work may include further mechanical characterization of the material.

## **Background**

### **Environmental benefits of carbon reinforced thermoplastics**

Lower mass materials require less fuel to move them, so that exploiting light weight properties of thermoplastics in automobile applications could decrease fuel requirements. In addition, thermoplastics can be processed easily from largely benign components making them more readily recycled.

Obtaining carbon fibers is also becoming increasingly sustainable, with reports of carbon fibers produced from lignin in biomass. As a result the use of carbon fibers to enhance the mechanical properties of thermoplastic polymers could provide an environmentally friendly material option for applications where mechanical stresses and strains experienced are moderate.

### **Irradiation and crosslinking**

Irradiation leads to both chain scission and crosslinking effects in polymers. In cellulose propionate chain scission greatly outweighs crosslinking. While functionalizing with esters could enhance crosslinking under irradiation, the researchers found that this actually diminished the tensile strength as the polymer became stiffer.

Adding carbon fibers can provide sites that initiate cracks. If the carbon fibers are long enough the overall effect is still a stronger material but for short carbon fibers, their inclusion can actually weaken the composite. In addition crosslinking in the polymer matrix can inhibit fiber mobility, so that stresses build up.

The researchers also found that extrusion can further shorten carbon fibers, an effect that a shorter extrusion nozzle can help to mitigate. Irradiation has a positive effect on carbon fiber strength and length by forming [free radicals](#) that form covalent bonds between planes in the graphitic fiber structure. As a result producing dumbbells from irradiated [carbon](#)-fiber-enhanced polymer pellets improved the material's mechanical properties; the [irradiation](#) led to stronger longer [carbon fibers](#), and making the dumbbells from irradiated pellets led to some uncrosslinked matrix from the different pellets to allow fiber movement.

**More information:** László Szabó et al. Electron beam induced strengthening of a short carbon fiber reinforced green thermoplastic composite: Key factors determining materials performance, *Composites Part A: Applied Science and Manufacturing* (2019). [DOI: 10.1016/j.compositesa.2019.03.046](https://doi.org/10.1016/j.compositesa.2019.03.046)

Provided by Kanazawa University

Citation: Electron beam strengthens recyclable nanocomposite (2019, June 12) retrieved 17 April 2024 from <https://phys.org/news/2019-06-electron-recyclable-nanocomposite.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.