

Ultra-short period brown dwarf discovered

June 27 2019, by Tomasz Nowakowski



Transit lightcurves of NGTS-7Ab. Top: phase folded NGTS lightcurve with the best fitting model overlaid in red. Middle: Primary transit lightcurve from SAAO in I band, with the best fitting model in green. Bottom: Primary transit lightcurve from EulerCam in V band, with the best fitting model in magenta. Residuals for each fit are shown underneath each respective plot. Credit:



Jackman et al., 2019.

An international team of astronomers has detected a new brown dwarf with an ultra-short orbital period that transits an active M-dwarf star. The newfound object, designated NGTS-7Ab, turns out to be the shortest period transiting brown dwarf around a main or pre-main sequence star discovered to date. The finding is detailed in a paper published June 19 on the arXiv pre-print server.

Brown dwarfs are intermediate objects between planets and stars, occupying the mass range between 13 and 80 Jupiter masses. Although many brown dwarfs have been detected to date, such objects orbiting other stars are a rare find.

Now, a group of astronomers led by James A.G. Jackman of University of Warwick, UK, reports the finding of new rare brown dwarf in the binary system NGTS-7AB. The system, located about 500 light years away, consists of two M-dwarf <u>stars</u>. The newly detected brown dwarf orbits the primary star known as NGTS-7A and therefore received designation NGTS-7Ab.

The discovery occurred during the Next Generation Transit Survey (NGTS), a ground-based robotic search for exoplanets. The brown dwarf nature of the new object was confirmed by follow-up observations.

"We have reported the discovery of NGTS-7Ab, a high mass transiting brown dwarf orbiting an M-star with an orbital period of 16.2 hours," the astronomers wrote in the paper.

According to the study, the discovery is significant due to the very short orbital period of the newly found object and its relatively high mass.



NGTS-7Ab represents the so-called "brown dwarf desert," describing the paucity of massive <u>brown dwarfs</u> (with masses greater than 35 Jupiter masses) orbiting their hosts at a relatively close distance (less than 3.0 AU).

NGTS-7Ab was found to orbit its parent star at a separation of around 0.014 AU, and its mass is assumed to be around 75.5 Jupiter masses, which makes it one of the most massive objects of this type detected to date. The radius of this <u>object</u> is estimated at approximately 1.38 Jupiter radii.

Moreover, NGTS-7Ab is the shortest period transiting brown dwarf around a pre-main or <u>main sequence star</u> so far discovered, and only the fifth brown dwarf transiting an M-star host.

Summing up the results, the researchers also try to explain the ultra-short <u>orbital period</u> of NGTS-7Ab, noting that the M-dwarf companion could be responsible for this.

"We believe NGTS-7Ab is part of a hierarchical triple system and the presence of NGTS-7B may have had a role in moving the brown dwarf into its close orbit via the Kozai-Lidov mechanism and tidal circularisation," the authors of the paper concluded.

They added that the orbit of NGTS-7Ab will most likely decay within about 5 to 10 million years due to a combination of tidal synchronisation and magnetic braking.

More information: James A. G. Jackman, et al. NGTS-7Ab: An ultrashort period brown dwarf transiting a tidally-locked and active M dwarf. arXiv:1906.08219v1 [astro-ph.SR]: <u>arxiv.org/abs/1906.08219</u>



© 2019 Science X Network

Citation: Ultra-short period brown dwarf discovered (2019, June 27) retrieved 3 May 2024 from <u>https://phys.org/news/2019-06-ultra-short-period-brown-dwarf.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.