

Astronauts less likely to faint on Earth if they exercise in space

July 19 2019



Former Canadian Astronaut Bob Thirsk wearing device which continuously measures blood pressure. Credit: NASA

Nearly 50 years after man's first steps on the moon, researchers have discovered a way that may help astronauts spending prolonged time in space come back to Earth on more stable footing, according to new research in the American Heart Association's journal *Circulation*.

"One of the biggest problems since the inception of the manned space



program has been that <u>astronauts</u> have fainted when they came down to Earth. The longer the time spent in a gravity-free environment in space, the greater the risk appeared to be," said Benjamin Levine, M.D., the study's senior author who is professor of Exercise Sciences at UT Southwestern Medical Center and director of the Institute for Exercise and Environmental Medicine at Texas Health Presbyterian Hospital in Dallas. "This problem has bedeviled the space program for a long time, but this condition is something ordinary people often experience as well."

Orthostatic hypotension is the technical term for a temporary drop in <u>blood</u> pressure when a person stands up after sitting or lying down because blood rushes to the feet, away from the brain. Dizziness or fainting due to changes in blood flow can occur after lengthy bed rest, among people with certain health disorders or, in the case of astronauts, being in a low-gravity environment.

The study included 12 astronauts (eight men and four women age 43-56) who spent about six months in space. All performed individualized endurance and resistance exercise training for up to two hours daily during space flight to prevent cardiovascular, bone and muscle deconditioning. They also received a saline infusion upon landing.

The astronauts' blood pressure was recorded with every heartbeat over each 24-hour period before, during and after their time in space. The researchers found that there was minimal impact on their blood pressure during all phases of measurement and none of the astronauts in the study experienced dizziness or fainting during routine activities 24 hours after landing.

This is the first study to demonstrate that astronauts do not experience dizziness or fainting during routine activity after landing, as long as they participate in certain types of exercise training while in flight and



receive IV fluids when they return to earth, said Levine

"What surprised me the most was how well the astronauts did after spending six months in space. I thought there would be frequent episodes of fainting when they returned to Earth, but they didn't have any. It's compelling evidence of the effectiveness of the countermeasures—the exercise regimen and fluid replenishment," he said.

The researchers note that the sample size was small. Also, they could not clearly distinguish whether specific in-flight blood pressure readings occurred while the astronauts were awake or asleep, so the data were combined and examined over 24-hour periods. Since all the astronauts participated in the exercise regimen and received a saline fluid infusion upon landing, researchers do not know if the the blood pressure stabilization would have occurred without those measures.

Next, the researchers would like to study larger numbers of astronauts and those who spend longer than six months in space.

"Understanding the physiology of space flight can be helpful for understanding many conditions experienced by non-astronauts. For example, the <u>exercise</u> program our lab developed for the space program is already helping people with a fainting condition known as postural orthostatic tachycardia syndrome (POTS)," Levine said. "As we prepare to celebrate the 50th anniversary of the Apollo 11 moon landing, it's exciting to think of how our exploration in and of <u>space</u> can lead to important medical advances here on Earth."

Provided by American Heart Association

Citation: Astronauts less likely to faint on Earth if they exercise in space (2019, July 19) retrieved 26 April 2024 from <u>https://phys.org/news/2019-07-astronauts-faint-earth-space.html</u>



This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.