

Semi-arid land in China has expanded in recent decades and probably will continue to expand

July 9 2019




Sand storm happening on June 23, 2016 in Xinjiang, China Credit: Zhijun Sun

Drylands cover approximately 50% of the land surface in China, among which semi-arid regions are the main dryland type. However, these semi-

arid regions have undergone continuous expansion and a significant drying trend in recent decades, which increases the risk of land degradation and deterioration in China. Fully understanding the characteristics and dynamics of semi-arid climate change in China is essential for delaying desertification, protecting renewable regional resources and developing reasonable policies, according to Prof. Jianping Huang at the Key Laboratory for Semi-arid Climate Change of the Ministry of Education, College of Atmospheric Sciences, Lanzhou University.

Huang's article co-authored with his team of researchers from the College of Atmospheric Sciences, Lanzhou University, has been published in *Advances in Atmospheric Sciences*. It is one of the papers included in a special issue on the National Report (2011-2018) to the International Union on Geophysics and Geodesy (IUGG) Centennial by the China National Committee for IAMAS.

In their paper, the authors systematically review the characteristics of semi-arid [climate](#) change in China, and highlight the dynamic processes and mechanisms affecting semi-arid climate change. The projection of semi-arid climate change and many issues that need to be further investigated are also summarized and discussed.



Semi-Arid Climate and Environment Observatory of Lanzhou University.
Credit: Jianrong Bi




Illustration of the comprehensiveness of observation-based experiments in the semi-arid regions of Northwest China conducted by Prof. Jianping Huang and his team. Credit: Jianping Huang

Studies have shown that semi-arid regions dominate the coverage of drylands in northern China, which have experienced the largest warming and significant expansion during the last 60 years. The climate in expanded semi-arid regions has become drier and warmer, particularly in the newly formed semi-arid areas, and the drying trend is strongly associated with the weakened East Asian summer monsoon. The intensity of the regional temperature response over these regions has been amplified by land-atmosphere interactions and human activities, and the decadal to interdecadal climate variation in semi-arid regions is regulated by oceanic oscillations. Dust-cloud-precipitation interactions may have altered semi-arid precipitation by affecting the local energy and hydrological cycles.

"In the 21st century, semi-arid regions in China are projected to

continuously expand. It will increase the challenges in dealing with desertification, food security and water supply." Said Huang.

More information: Jianping Huang et al, Progress in Semi-arid Climate Change Studies in China, *Advances in Atmospheric Sciences* (2019). [DOI: 10.1007/s00376-018-8200-9](https://doi.org/10.1007/s00376-018-8200-9)

Provided by Chinese Academy of Sciences

Citation: Semi-arid land in China has expanded in recent decades and probably will continue to expand (2019, July 9) retrieved 8 May 2024 from <https://phys.org/news/2019-07-semi-arid-china-decades.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.