

US infrastructure unprepared for increasing frequency of extreme storms

August 1 2019, by Abigail Eisenstadt



Hurricane Florence's unprecedented rainfall caused extensive damage to infrastructure in North and South Carolina after it made landfall in fall of 2018. Credit: U.S. Air Force Central Command

Current design standards for United States hydrologic infrastructure are unprepared for the increasing frequency and severity of extreme



rainstorms, meaning structures like retention ponds and dams will face more frequent and severe flooding, according to a new study.

Extreme weather events are on the rise, but U.S. water management systems use outdated design guidelines. New research, published in the AGU journal *Geophysical Research Letters*, analyzed data from multiple regions throughout the U.S. and found the rising number of extreme storms combined with outdated building criteria could overwhelm hydrologic structures like stormwater systems.

The new study is particularly timely in light of recent storms and flash floods along the East Coast.

"The take-home message is that <u>infrastructure</u> in most parts of the country is no longer performing at the level that it's supposed to, because of the big changes that we've seen in <u>extreme rainfall</u>," said Daniel Wright, a hydrologist at the University of Wisconsin-Madison and lead author of the new study.

Engineers often use statistical estimates called IDF curves to describe the intensity, duration, and frequency of rainfall in each area. The curves, published by the National Oceanic and Atmospheric Administration (NOAA), are created using statistical methods that assume weather patterns remain static over time.

"Design engineers at cities, consulting companies, and counties use this for different purposes, like infrastructure design management, infrastructure risk assessment and so forth. It has a lot of engineering applications," said Amir Aghakouchak, a hydrologist at the University of California, Irvine who was not involved with the new study.

But climate change is causing extreme rainfall events to occur more often in many regions of the world, something IDF curves don't take into



account. One measure of extreme rainfall is the 100-year storm, a <u>storm</u> that has a one percent chance of happening in a given year, or a statistical likelihood of happening once in 100 years on average.

Wright and his colleagues wanted to know how existing IDF curves compare with recent changes in extreme rainfall. They analyzed records from more than 900 weather stations across the U.S. from 1950 to 2017 and recorded the number of times extreme storms, like 100-year storms, exceeded design standards. For example, in the eastern United States, extreme rainstorm events are happening 85 percent more often in 2017, than they did in 1950. In the western U.S., these storms are appearing 51 percent more often now than they once did.

The scientists found that in most of the country the growing number of extreme rainstorms can be linked to warming temperatures from <u>climate</u> <u>change</u>, although natural events, such as El Niño, also occasionally affect the Southeast's climate.

By comparing the number of storms that actually happened against the number predicted by IDF curves, the researchers also showed the potential consequences for U.S. infrastructure. In some regions, for example, infrastructure designed to withstand extreme rainstorms could face these storms every 40 years instead of every 100 years.

"Infrastructure that has been designed to these commonly-used standards is likely to be overwhelmed more often than it is supposed to be," Wright said.

The researchers hope the findings will encourage climate scientists, hydrologists, and engineers to collaborate and improve U.S. hydrologic infrastructure guidelines.

"We really need to get the word out about just how far behind our design



standards are from there they should be," Wright said.

More information: Daniel B. Wright et al, U.S. Hydrologic Design Standards Insufficient Due to Large Increases in Frequency of Rainfall Extremes, *Geophysical Research Letters* (2019). DOI: <u>10.1029/2019GL083235</u>

Provided by American Geophysical Union

Citation: US infrastructure unprepared for increasing frequency of extreme storms (2019, August 1) retrieved 26 April 2024 from <u>https://phys.org/news/2019-08-infrastructure-unprepared-frequency-extreme-storms.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.