


Utilizing the impact resistance of the world's hardest concrete for disaster prevention

April 22 2020



Outline of degassing and water absorption treatment. The PFC specimens are then placed in a closed vessel that was depressurized using a vacuum pump, and water introduced from the outer surface to the inside. Credit: Kanazawa University

Concrete is the most widely used building material in the world and consequently is being continuously developed to fulfill modern-day requirements. Efforts to improve concrete strength have led to reports of porosity-free concrete (PFC), the hardest concrete tested to date. Some of the basic properties of PFC have already been explored, and now a team including Kanazawa University has probed the impact response of this innovative material. Their findings are published in *International*




Journal of Civil Engineering.

Ultra-<u>high-strength</u> concrete offers significant advantages including reducing the weight of large structures and protecting them against <u>natural disasters</u> and accidental impacts. PFC is an ultra-high-strength concrete whose properties can be further enhanced by incorporating <u>steel fibers</u>.

The way in which PFC is prepared leads to very few voids in the final material, which gives it its high strength—400 MPa can be applied to PFC before it fails, compared with 20-30 MPa for standard concrete. Some of the basic material properties of steel fiber-reinforced PFC have already been reported; now the researchers have evaluated the impact response of a range of PFC preparations with different steel fiber contents and section heights.


"The continued development of building materials is particularly important in areas where frequent natural disasters threaten the integrity of structures," study lead author Yusuke Kurihashi explains. "We carried out impact tests on a variety of steel fiber-reinforced PFC samples to determine their reactions, and in so doing, accelerate the widespread application of PFC in building projects. Our testing is designed to simulate responses to events such as rock falls, blasts and flying objects."





Curing process. After the water absorption treatment, the specimen was subjected to steam curing (heating rate: 15 °C/h, maximum temperature: 90 °C, maximum temperature holding time: 48 h, cooling rate: 15 °C/h). Next, heat curing (heating rate: 60 °C/h, maximum temperature: 180 °C, maximum temperature holding time: 48 h, cooling rate: 60 °C/h, 1 atm) was applied. Credit: Kanazawa University





Failure condition after impact loading. The damage degree of the beams can be reduced by changing the steel fiber mixing rate in the PFC beam from 1 to 2 vol.%. Credit: Kanazawa University



The researchers made two key findings. Firstly, they observed that increasing the <u>steel</u> fiber content from 1% to 2% reduced the damage due to the impact by 30%-50%. This significant improvement in performance is expected to inform future material design decisions.

In addition, they showed that it was possible to predict the behavior of the samples with approximately 80% accuracy by comparing calculated values with those that were measured, which will help to streamline development processes.

"We hope that PFC will contribute to enhanced <u>building</u> safety in the future," says Dr. Kurihashi. "Although additional experimental work and statistical processing is required to fully translate PFC into widespread practical applications, our findings make a significant contribution to understanding PFC's role in improving the safety of many large structures including high-rise buildings, bridges and roads."

More information: Yusuke Kurihashi et al, Response Characteristics of a Steel Fiber-Reinforced Porosity-Free Concrete Beam Under an Impact Load, *International Journal of Civil Engineering* (2020). DOI: 10.1007/s40999-020-00501-y

Provided by Kanazawa University

Citation: Utilizing the impact resistance of the world's hardest concrete for disaster prevention (2020, April 22) retrieved 23 May 2024 from <u>https://phys.org/news/2020-04-impact-resistance-world-hardest-concrete.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.