

The disease pyramid: Environment, pathogen, individual and microbiome

June 11 2020



The microbiome is also an important part of the immune response in amphibians. Credit: Dirk Schmeller

Researchers from the Leibniz-Institute of Freshwater Ecology and Inland Fisheries (IGB), the Université de Toulouse and the Helmholtz Centre

for Environmental Research (UFZ) show how the microbial colonization of the organism influences the interactions between living organisms, the environment and pathogens, using amphibians like frogs as examples. This is basic research for health prophylaxis.

Biotic and abiotic environmental factors have a strong influence on the dynamics of diseases in humans and animals. In their study, the researchers focus on an important component: the [microbiome](#). The individual microbiome of a living being is a vital component of immunity. Especially on the skin and in the bowel, i.e. directly at the interface between the individual and pathogens, endogenous bacteria and viruses are highly active.

The international team presents the concept of a disease pyramid with the four cornerstones of environment, pathogen, host and microbiome. For the first time, the different functions of the microbiome are taken into account. The researchers illustrate this by using the [amphibian](#) disease chytridiomycosis caused by the fungal pathogen *Batrachochytrium dendrobatidis*.

"The microbiome of living organisms is highly variable. It is only in recent years that researchers have succeeded in using genetic methods to determine the totality of microorganisms. We are now only gradually beginning to understand their role in health prophylaxis and how they interact, for example, with the environmental microbiome, pathogens and the host," explains IGB researcher Dr. Adeline Loyau, who led the study.

Diversity of microbiome and habitats strengthens resistance

The authors emphasise that more diverse microbiomes can make the

host more resistant to pathogens because they are better able to keep potential pathogens at bay. The study also shows that individuals who inhabit complex and therefore species-rich habitats have a lower mortality rate. The team shows that the microbiome can act very specifically against pathogens: The symbiotic skin bacterium *Janthinobacterium* spp. forms an anti-fungal agent as a metabolic product and thus prevents infection with *Batrachochytrium dendrobatidis*.

Climate change modifies the microbiome of amphibians

It is assumed that the adaptability of the microbiome can in turn increase the organism's adaptability to [environmental influences](#). There are several examples of this in the animal kingdom. However, environmental changes such as [climate change](#) can also throw the microbiome out of balance: "A microbiome in equilibrium can protect against infection in changing [environmental conditions](#)," explains the study's first author, Adriana P. Bernardo-Cravo from the Université de Toulouse and the UFZ.

"However, it is also shown that [environmental changes](#)—especially temperature—have a significant impact on the composition of the microbiome, and thus on the resistance of amphibians to *Batrachochytrium dendrobatidis*. Climate change will significantly change the distribution of this fungal disease in amphibians," the ecologist predicts.

Axa-Professor Dirk Schmeller from the Université de Toulouse, further explains: "We have to be aware that climate change and biodiversity loss are stress factors for ecosystems, for humans, for animals and for the microbiome. Our research shows that if the different axes of the disease

pyramid are destabilised, new infectious diseases can be expected, including for humans." The presented concept of the [disease](#) pyramid is therefore trend-setting for research on human-animal-plant-environment interactions and the resulting risks for biodiversity and humans.

Supplementary information:

The decline of amphibians, the most endangered vertebrates, causes cascade effects in the food webs and can change the environmental balance in the long term, for example water quality or the occurrence of pests and [pathogens](#). In some ecosystems, such as the North American arboreal forests, amphibians are the most common terrestrial vertebrates. There they help regulate the carbon balance. The fungus *Batrachochytrium dendrobatidis* is responsible for the decline of over 500 frog species worldwide. It damages the amphibians' skin and disrupts its basic functions, which ultimately leads to cardiac arrest.

More information: Adriana P. Bernardo-Cravo et al, Environmental Factors and Host Microbiomes Shape Host–Pathogen Dynamics, *Trends in Parasitology* (2020). [DOI: 10.1016/j.pt.2020.04.010](https://doi.org/10.1016/j.pt.2020.04.010)

Provided by Forschungsverbund Berlin e.V. (FVB)

Citation: The disease pyramid: Environment, pathogen, individual and microbiome (2020, June 11) retrieved 24 June 2024 from <https://phys.org/news/2020-06-disease-pyramid-environment-pathogen-individual.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.
