


Physicists take stop-action images of light-driven molecular reaction

July 20 2020, by Stephanie Jacques



This illustration shows the light-induced ring opening reaction across multiple femtoseconds. This work by Kansas State University researchers has just been published in *Nature Chemistry*. Credit: Lea-Maria Ibele

Kansas State University physicists have taken extremely fast snapshots of light-induced molecular ring-opening reactions—similar to those that help a human body produce vitamin D from sunlight. The research is published in *Nature Chemistry*.

"Think of this as stop-motion like a cartoon," said Daniel Rolles, associate professor of physics and the study's principal investigator. "For each molecule, you start the reaction with a laser pulse, take snapshots of what it looks like as time passes and then put them together. This creates a 'molecular movie' that shows how the electronic structure of the molecule changes as a function of how much time passes between when we start and when we stop."

Shashank Pathak, doctoral student and lead author on the paper, said the idea was to study the dynamics of how a ring opens in a molecule on the time scale of femtosecond, which is one quadrillionth of a second. The researchers use a [free-electron laser](#) to visualize how these reactions happen by recording electron energy spectra as the atoms in the molecule move apart.

"The ring opening reaction is observed in nature quite a bit," Pathak said. "One example is the formation of [vitamin D3](#) in our skin. When sunlight shines on our skin, we have big compounds that have these small ring structures that help with the absorption of UV light. The ring opens to form the precursor to vitamin D3 formation."

Making vitamin D involves various biological functions and this ring opening is just one small—very small—part of the process, Pathak said. This research was able to record the changes in the molecule in order to understand the speed of the process, how it happens and compare the process to previously accepted theory.

"Understanding the process has implications for making similar processes that can be used in technology more efficient, and for developing general rules that can be applied to similar reactions," said Rolles, who received a National Science Foundation Faculty Early CAREER award in 2018 that funded this research.

More information: [DOI: 10.1038/s41557-020-0507-3](https://doi.org/10.1038/s41557-020-0507-3) Pathak, S., Ibele, L.M., Boll, R. et al. Tracking the ultraviolet-induced photochemistry of thiophenone during and after ultrafast ring opening, *Nature Chemistry* (2020). [DOI: 10.1038/s41557-020-0507-3](https://doi.org/10.1038/s41557-020-0507-3)

Provided by Kansas State University

Citation: Physicists take stop-action images of light-driven molecular reaction (2020, July 20) retrieved 3 July 2024 from <https://phys.org/news/2020-07-physicists-stop-action-images-light-driven-molecular.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.