

## Coastal development, changing climate threaten sea turtle nesting habitat

August 26 2020, by Bill Wellock



Ocean waves cover a sea turtle nest in Fort Lauderdale, Florida. Florida State University researchers found that sea-level rise is projected to submerge about 80 percent of current nesting habitat that is predicted to have a suitable climate for future egg incubation. Rising sea levels, a changing climate and coastal development each play a role in determining the availability of suitable nesting habitats in the future. This photograph was taken during permitted research activities. Credit: Matthew Ware / Florida State University



A research team led by Florida State University found that sea turtles in the U.S. will have less suitable nesting habitat in the future because of climate change and coastal development.

Researchers found areas that will remain or become suitable for sea turtle nesting in the future because of <u>climatic changes</u> and sea-level rise will be exposed to increased <u>coastal development</u>, hindering the ability of turtles to adapt to these disturbances. Their work was published in the journal *Regional Environmental Change*.

"A reduction in available nesting <u>habitat</u> coupled with the pressures associated with coastal development could likely have detrimental impacts on the reproductive output of sea turtle nesting areas in the U.S. and population stability," said Mariana Fuentes, an assistant professor of oceanography in the FSU Department of Earth, Ocean and Atmospheric Science and the study's lead author.

The researchers modeled suitability of coastal habitats in the eastern U.S. by 2050 for loggerhead, green and <u>leatherback sea turtle</u> nesting, considering predicted sea-level rise and future climates.

The results differ for specific places and species, but the overall picture is one of decreases in suitable nesting grounds and increasing pressure from coastal development.

Loggerhead turtles will see a decrease of about 10 percent in suitable nesting areas, with deteriorating conditions in Florida, South Carolina and North Carolina. Green turtles will see some improved nesting habitat in southwest Florida, but less suitable habitat elsewhere in the state and the Carolinas. Overall, green turtles will see a decrease of about 7 percent in suitable nesting habitat along the U.S. East Coast. Leatherback turtles won't see major changes in the broad availability of suitable areas.



A changing climate, rising sea levels and coastal development each play a role in determining the availability of suitable nesting habitats in the future.

Sea turtles need certain climate conditions for egg incubation, and a changing climate will mean different conditions for precipitation and temperature. Sea-level rise is another factor. It is projected to submerge about 80 percent of current habitat that is predicted to have a suitable climate for future egg incubation.

But sea-level rise is also projected to create new beaches. In fact, a 0.5-meter sea-level rise (a conservative estimate) is predicted to result in a net habitat gain for the sea turtle species the researchers studied. However, coastal development will be an issue in most of those areas, which will impact how well they function as nesting sites.

Researchers found a few regions in North Carolina and South Carolina that are projected to have high or very high climate suitability for sea turtle egg incubation, little risk from <u>sea-level rise</u> and no substantial housing growth, which will make them optimal nesting habitats. Identifying these areas could inform management and conservation policies.

In other places where development is expected to add pressure to <u>sea</u> <u>turtles</u>, management strategies, such as turtle-friendly lighting, removing beach debris and not disturbing nesting areas, will help minimize additional impacts of human activity on these animals.

"Sea <u>turtles</u> have existed for millions of years, and they have persisted through dramatic changes in climate in the past," Fuentes said. "They have the ability to adapt to changing conditions, but coastal development and the unprecedented speed of current <u>climate change</u> are things they have never had to deal with, which may hinder their ability to adapt to



the future."

**More information:** Mariana M. P. B. Fuentes et al, Potential adaptability of marine turtles to climate change may be hindered by coastal development in the USA, *Regional Environmental Change* (2020). DOI: 10.1007/s10113-020-01689-4

## Provided by Florida State University

Citation: Coastal development, changing climate threaten sea turtle nesting habitat (2020, August 26) retrieved 26 June 2024 from <a href="https://phys.org/news/2020-08-coastal-climate-threaten-sea-turtle.html">https://phys.org/news/2020-08-coastal-climate-threaten-sea-turtle.html</a>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.