


Ultrafast electrons in magnetic oxides: A new direction for spintronics?

August 19 2020





Credit: CC0 Public Domain

Special metal oxides could one day replace semiconductor materials that are commonly used today in processors. Now, for the first time, an international team of researchers from Martin Luther University Halle-Wittenberg (MLU), the University of Kaiserslautern and the University of Fribourg in Switzerland was able to observe how electronic charge excitation changes electron spin in metal oxides in an ultrafast and inphase manner. The study was published in the journal *Nature Communications*.

In modern semiconductor electronics, the first key step in every transistor is to lift electrons over the so-called band gap in the semiconductor. Electrons have to move through a material that is, in actual fact, non-conductive. "After they have been excited across the band gap, the moving electric charges of the electrons generate the currents that are used in <u>information processing</u>. These currents can cause processors to become hot, leading to energy loss," explains Professor Wolf Widdra from the Institute of Physics at MLU.

Spintronics attempts to solve this problem with the help of so-called spin. This is the intrinsic angular momentum of an electron that produces the <u>magnetic moment</u>, thereby generating the magnetism that is used in information processing. The coupling of electronic and <u>magnetic</u> properties determines the functionality. "Magnetic oxides are an important class of materials for spintronics because they don't transfer electron current, only magnetic information," says Widdra, who led the study as part of the joint Collaborative Research Centre CRC/TRR 227 "Ultrafast Spin Dynamics" at MLU and Freie Universität Berlin. Until recently, however, it hadn't been clear how the <u>electron transfer</u> across the band gap coupled with the spin of the magnetic oxide. The team has



now successfully observed this process and has developed a new theory for it. Groups of theoretical and experimental physicists joined forces to tackle this issue.

Using a state-of-the-art, ultra-short pulse laser, the researchers were able to excite an electron to lift it across the <u>band gap</u> in nickel oxide. They also observed how the information was then transferred to the magnetic system. This enabled the team to identify a previously unknown ultrafast coupling mechanism that occurs on a femtosecond scale, i.e. a quadrillionth of a second. "The complex many-body properties generated through the excitation of the electron by the laser have revealed this surprising observation but also made us think long and hard about how to interpret it correctly," adds Widdra.

According to the physicist, the findings now pave the way for ultrafast spintronics. This should facilitate the development of new ultra-fast storage systems and information technologies in the future.

More information: Konrad Gillmeister et al, Ultrafast coupled charge and spin dynamics in strongly correlated NiO, *Nature Communications* (2020). DOI: 10.1038/s41467-020-17925-8

Provided by Martin-Luther-Universität Halle-Wittenberg

Citation: Ultrafast electrons in magnetic oxides: A new direction for spintronics? (2020, August 19) retrieved 25 April 2024 from <u>https://phys.org/news/2020-08-ultrafast-electrons-magnetic-oxides-spintronics.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.