

# Toothless dino's lost digits point to spread of parrot-like species

October 6 2020

---



Three Oksoko avarsan dinosaurs. Credit: Michael W. Skrepnick

A newly discovered species of toothless, two-fingered dinosaur has shed light on how a group of parrot-like animals thrived more than 68 million

years ago.

The unusual [species](#) had one less finger on each forearm than its close relatives, suggesting an adaptability which enabled the animals to spread during the Late Cretaceous Period, researchers say.

Multiple complete skeletons of the new species were unearthed in the Gobi Desert in Mongolia by a University of Edinburgh-led team.

Named *Oksoko avarsan*, the feathered, omnivorous creatures grew to around two metres long and had only two functional digits on each forearm. The animals had a large, toothless beak similar to the type seen in species of parrot today.

The remarkably well-preserved fossils provided the first evidence of digit loss in the three-fingered family of dinosaurs known as oviraptors.

The discovery that they could evolve forelimb adaptations suggests the group could alter their diets and lifestyles, and enabled them to diversify and multiply, the team says.

Researchers studied the reduction in size, and eventual loss, of a third finger across the oviraptors' evolutionary history. The group's arms and hands changed drastically in tandem with migrations to new geographic areas—specifically to what is now North America and the Gobi Desert.



Remains of three dinosaurs preserved resting together. Credit: Gregory Funston

The team also discovered that *Oksoko avarsan*—like many other prehistoric species—were social as juveniles. The [fossil remains](#) of four young dinosaurs were preserved resting together.

The study, published in the journal *Royal Society Open Science*, was funded by The Royal Society and the Natural Sciences and Engineering Council of Canada. It also involved researchers from the University of Alberta and Philip J. Currie Dinosaur Museum in Canada, Hokkaido University in Japan, and the Mongolian Academy of Sciences.





Fossil of Oksoko avarsan's two-fingered hand. Credit: Gregory Funston

Dr. Gregory Funston, of the University of Edinburgh's School of GeoSciences, who led the study, said: "Oksoko avarsan is interesting because the skeletons are very complete and the way they were preserved resting together shows that juveniles roamed together in groups. But more importantly, its two-fingered hand prompted us to look at the way the hand and forelimb changed throughout the evolution of oviraptors—which hadn't been studied before. This revealed some unexpected trends that are a key piece in the puzzle of why oviraptors were so diverse before the extinction that killed the [dinosaurs](#)."

**More information:** A new two-fingered dinosaur sheds light on the

radiation of Oviraptorosauria, *Royal Society Open Science* ,  
[royalsocietypublishing.org/doi/10.1098/rsos.201184](https://royalsocietypublishing.org/doi/10.1098/rsos.201184)

Provided by University of Edinburgh

Citation: Toothless dino's lost digits point to spread of parrot-like species (2020, October 6)  
retrieved 27 April 2024 from  
<https://phys.org/news/2020-10-toothless-dino-lost-digits-parrot-like.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.