

Tiny quantum computer solves real optimization problem

December 17 2020



Researchers at Chalmers University of Technology, Sweden, have now shown that they can solve a small part of a real logistics problem with their small, but well-functioning quantum computer. Credit: Yen Strandqvist/Chalmers University of Technology (for photo montage)


Quantum computers have already managed to surpass ordinary computers in solving certain tasks—unfortunately, totally useless ones. The next milestone is to get them to do useful things. Researchers at Chalmers University of Technology, Sweden, have now shown that they can solve a small part of a real logistics problem with their small, but well-functioning quantum computer.

Interest in building quantum computers has gained considerable momentum in recent years, and feverish work is underway in many parts of the world. In 2019, Google's research team made a major breakthrough when their quantum [computer](#) managed to solve a task far more quickly than the world's best supercomputer. The downside is that the solved task had no practical use whatsoever—it was chosen because it was judged to be easy to solve for a quantum computer, yet very difficult for a conventional computer. Therefore, an important task is now to find useful, relevant problems that are beyond the reach of ordinary computers, but which a relatively small quantum computer could solve.

"We want to be sure that the quantum computer we are developing can help solve relevant problems early on. Therefore, we work in close collaboration with [industrial companies](#)," says theoretical physicist Giulia Ferrini, one of the leaders of Chalmers University of Technology's quantum computer project, which began in 2018.

Together with Göran Johansson, Giulia Ferrini led the theoretical work when a team of researchers at Chalmers, including an industrial doctoral student from the aviation logistics company Jeppesen, recently showed that a quantum computer can solve an instance of a real problem in the aviation industry.

All airlines are faced with scheduling problems. For example, assigning individual aircraft to different routes represents an optimisation problem that grows very rapidly in size and complexity as the number of routes and aircraft increases. Researchers hope that quantum computers will eventually be better at handling such problems than today's computers. The basic building block of the quantum computer—the qubit—is based on completely different principles than the bits of conventional computers, allowing them to handle enormous amounts of information with relatively few qubits.



The cryostat chilling the Swedish quantum computer. Credit: Johan Bodell/Chalmers University of Technology

However, due to their structure and function, quantum computers have different programming requirements than conventional computers. One proposed algorithm that is believed to be useful on early quantum computers is the so-called quantum approximate optimization algorithm (QAOA). The Chalmers research team has now successfully executed this algorithm on their quantum computer—a processor with two qubits—and showed that it can successfully solve the problem of assigning aircraft to routes. In this first demonstration, the result could be easily verified as the scale was very small—it involved only two airplanes.

Potential to handle many aircraft

With this feat, the researchers were first to show that the QAOA algorithm can solve the problem of assigning aircraft to routes in practice. They also managed to run the algorithm one level further than anyone before, an achievement that requires very good hardware and accurate control.

"We have shown that we have the ability to map relevant problems onto our quantum processor. We still have a small number of qubits, but they work well. Our plan has been to first make everything work very well on a small scale, before scaling up," says Jonas Bylander, senior researcher responsible for the experimental design and one of the leaders of the project of building a quantum computer at Chalmers.

The theorists in the research team also simulated solving the same optimisation problem for up to 278 aircraft, which would require a quantum computer with 25 qubits. "The results remained good as we scaled up. This suggests that the QAOA algorithm has the potential to solve this type of problem at even larger scales," says Giulia Ferrini.

Surpassing today's best computers would, however, require much larger devices. The researchers at Chalmers have now begun scaling up and are currently working with five quantum bits. The plan is to reach at least 20 qubits by 2021 while maintaining the high quality.

More information: Pontus Vikstål et al, Applying the Quantum Approximate Optimization Algorithm to the Tail-Assignment Problem, *Physical Review Applied* (2020). [DOI: 10.1103/PhysRevApplied.14.034009](https://doi.org/10.1103/PhysRevApplied.14.034009)

Provided by Chalmers University of Technology

Citation: Tiny quantum computer solves real optimization problem (2020, December 17)
retrieved 11 May 2024 from <https://phys.org/news/2020-12-tiny-quantum-real-optimization-problem.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.