

More than just carbon dioxide: It's time to tackle short-lived climate-forcing pollutants

January 27 2021



Credit: CC0 Public Domain

Climate change mitigation is about more than just CO₂. So-called 'short-lived climate-forcing pollutants' such as soot, methane, and tropospheric ozone all have harmful effects. Climate policy should be guided by a clearer understanding of their differentiated impacts.

It is common practice in [climate](#) policy to bundle the climate warming

pollutants together and express their total effects in terms of "CO₂ equivalence". This 'equivalence' is based on a comparison of climate effects on a 100-year timescale. This approach is problematic, as IASS scientist Kathleen Mar explains in a new research paper: "The fact is that climate forcers simply aren't 'equivalent' - their effects on climate and ecosystems are distinct. Short-lived climate forcers have the largest impact on near-term climate whereas CO₂ has the largest impact on long-term climate." The use of a 100-year time horizon as the primary basis for evaluating climate effects understates the impacts of short-lived climate-forcing pollutants (SLCPs) and thus undervalues the positive near-term effects that can be achieved by reducing SLCP emissions.

Reducing SLCP emissions benefits climate, human health, and food security

One of the more pernicious qualities of CO₂ is that it accumulates in the atmosphere—once it is emitted, it takes a long time for it to be removed. SLCPs, on the other hand, remain in the atmosphere for significantly shorter periods. The atmosphere and climate system react much more quickly to reductions in the [emission](#) of these pollutants. This should be a boon for policymakers, Mar argues: "Reducing SLCP emissions would slow near-term climate warming, reduce air pollution, and improve crop yields—all positive benefits that citizens could experience today and in the near future." Studies indicate that a rapid reduction in SLCP emissions could slow the rate of climate change, reducing the risk of triggering dangerous and potentially irreversible climate tipping points and allowing more time for climate adaptation.

Measures to reduce SLCP emissions could be implemented using existing technologies and practices, such as the collection of landfill gas to generate energy. Changes in other sectors will be needed to achieve further reductions. Methane and soot emissions from the agriculture and

waste management sectors, for example, have important climate as well as health impacts. Similarly, hydrofluorocarbons (HFCs), which are significantly more potent climate forcers than CO₂, are still widely used as coolants.

Designing effective climate change mitigation: Don't overlook SLCPs

Mar argues that clear communication on the different time horizons relevant for CO₂ and SLCP mitigation would help guide climate policy discussions towards more effective outcomes: "To mitigate the most harmful consequences of climate change as a whole, we need to minimize both near-term and long-term climate impacts—and that means reducing SLCPs in parallel to CO₂. However, the positive benefits of SLCP mitigation are simply not captured when using the 100-year time horizon as the single benchmark for assessing climate impacts."

Recognizing the broader benefits of SLCP reductions, several countries have stepped up and made SLCP mitigation a central element of their national climate strategies. Chile, Mexico, and Nigeria all include SLCPs in their national commitments under the Paris Agreement. If this type of holistic approach can be expanded and translated into on-the-ground emissions reductions at a global scale, then it will certainly be a win, not only for climate, but for air quality, health, and sustainable development.

More information: Kathleen A. Mar, Human responses to climate change, *Climanosco Research Articles* (2021). [DOI: 10.37207/CRA.3.1](https://doi.org/10.37207/CRA.3.1)

Provided by Institute for Advanced Sustainability Studies e.V.

Citation: More than just carbon dioxide: It's time to tackle short-lived climate-forcing pollutants (2021, January 27) retrieved 25 April 2024 from <https://phys.org/news/2021-01-carbon-dioxide-tackle-short-lived-climate-forcing.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.