


Snakes evolve a magnetic way to be resistant to venom

January 15 2021



The Pakistan black cobra, a deadly predator of other snakes. Credit: University of Queensland

Certain snakes have evolved a unique genetic trick to avoid being eaten by venomous snakes, according to University of Queensland research.

Associate Professor Bryan Fry from UQ's Toxin Evolution Lab said the technique worked in a manner similar to the way two sides of a magnet repel each other.

"The target of snake venom neurotoxins is a strongly negatively charged nerve receptor," Dr. Fry said.

"This has caused neurotoxins to evolve with positively charged surfaces, thereby guiding them to the neurological target to produce paralysis.

"But some snakes have evolved to replace a negatively charged amino acid on their receptor with a positively charged one, meaning the [neurotoxin](#) is repelled.

"It's an inventive genetic mutation and it's been completely missed until now.

"We've shown this trait has evolved at least 10 times in different species of snakes."

The researchers found that the Burmese python—a slow-moving [terrestrial species](#) vulnerable to predation by cobras—is extremely neurotoxin resistant.

"Similarly, the South African mole snake, another slow-moving snake vulnerable to cobras, is also extremely resistant," Dr. Fry said.

"But Asian pythons which live in trees as babies, and Australian pythons which do not live alongside neurotoxic snake-eating snake, do not have this resistance.

"We've long known that some species—like the mongoose—are resistant to [snake](#) venom through a mutation that physically blocks neurotoxins by

having a branch-like structure sticking out of the receptor, but this is the first time the magnet-like effect has been observed."

"It has also evolved in [venomous snakes](#) to be resistant to their own neurotoxins on at least two occasions."

The discovery was made after the establishment of UQ's new \$2 million biomolecular interaction facility, the Australian Biomolecular Interaction Facility (ABIF).

"There's some incredible technology at the ABIF allowing us to screen thousands of samples a day," Dr. Fry said.

"That facility means we can do the kinds of tests that would have just been science fiction before, they would have been completely impossible."

The research has been published in *Proceedings of the Royal Society B*.

More information: Richard J. Harris et al. Electrostatic resistance to alpha-neurotoxins conferred by charge reversal mutations in nicotinic acetylcholine receptors, *Proceedings of the Royal Society B: Biological Sciences* (2021). [DOI: 10.1098/rspb.2020.2703](https://doi.org/10.1098/rspb.2020.2703)

Provided by University of Queensland

Citation: Snakes evolve a magnetic way to be resistant to venom (2021, January 15) retrieved 24 April 2024 from <https://phys.org/news/2021-01-snakes-evolve-magnetic-resistant-venom.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is

provided for information purposes only.