

Decline in black cherry regeneration may herald wider forest change

March 24 2021



A team of USDA Forest Service scientists explored five hypotheses for decline in black cherry regeneration: climate change, deer browsing, senescence, pathogens, and reduced nitrogen availability. They found that the most likely factors are pathogens and reduced nitrogen availability, and that black cherry may actually be a story of change on a much bigger scale. Credit: USDA Forest Service photograph

In the heart of black cherry's native range, including a part of the Allegheny Hardwoods that bills itself as the "Black Cherry Capital of the World," the tree's regeneration, growth and survival have all been declining for more than a decade. In a new analysis, a team of USDA Forest Service and University of Missouri scientists identify likely factors behind the tree's decline and, more significantly, conclude that black cherry may be the tip of the iceberg in terms of change in eastern deciduous forests.

Scientists used a combination of synthesis of existing research and new analyses to examine the leading hypotheses for black cherry's regeneration failure. They conclude that the two factors that are most likely contributing to declining abundance of black cherry are an increase in pathogens and less nitrogen deposition in soil.

"We began this project wanting to narrow down the potential drivers behind the change in black cherry; what we found is that this may be a story of change on a much bigger scale, with mixed species forests in the coming century likely to reflect the response of many individual tree species to changing [environmental conditions](#), biotic stressors, and their interactions," said Alejandro Royo, a research ecologist with the Northern Research Station and the study's lead author.

More information: Alejandro A Royo et al, The Forest of Unintended Consequences: Anthropogenic Actions Trigger the Rise and Fall of Black Cherry, *BioScience* (2021). [DOI: 10.1093/biosci/biab002](https://doi.org/10.1093/biosci/biab002)

Provided by USDA Forest Service

Citation: Decline in black cherry regeneration may herald wider forest change (2021, March 24) retrieved 28 June 2024 from <https://phys.org/news/2021-03-decline-black-cherry-regeneration-herald.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.