

Factoring in gravitomagnetism could do away with dark matter

March 4 2021



Dark matter map of KiDS survey region (region G12). Credit: KiDS survey

Observations of galactic rotation curves give one of the strongest lines of evidence pointing towards the existence of dark matter, a non-baryonic form of matter that makes up an estimated 85% of the matter in the observable Universe. Current assessments of galactic rotation curves are based upon a framework of Newtonian accounts of gravity, a new paper published in *EPJ C*, by Gerson Otto Ludwig, National Institute for Space Research, Brazil, suggests that if this is substituted with a general relativity-based model, the need to recourse to dark matter is relieved, replaced by the effects of gravitomagnetism.



The main role of dark matter, Ludwig points out in the paper, has historically been to resolve the disparity between astrophysical observations and current theories of gravity. Put simply, if baryonic matter—the form of matter we see around us every day which is made up of protons, neutrons and electrons—is the only form of matter, then there shouldn't be enough <u>gravitational force</u> to prevent galaxies from flying apart.

By disregarding general relativistic corrections to Newtonian gravity arising from mass currents, and by neglecting these mass currents, Ludwig asserts these models also miss significant modifications to rotational curves—the orbital speeds of visible stars and gas plotted against their radial distance from their galaxy's centre. This is because of an effect in general relativity not present in Newton's theory of gravity—frame-dragging or the Lense Thirring effect. This effect arises when a massive rotating object like a star or black hole 'drags' the very fabric of spacetime along with it, in turn giving rise to a gravitomagnetic field.

In this paper, Ludwig presents a new model for the rotational curves of galaxies which is in agreement with previous efforts involving general relativity. The researcher demonstrates that even though the effects of gravitomagnetic fields are weak, factoring them into models alleviates the difference between theories of gravity and observed rotational curves—eliminating the need for dark matter. The theory still needs some development before it is widely accepted, with the author particularly pointing out that the time evolution of galaxies modelled with this framework is a complex problem that will require much deeper analysis.

Ludwig concludes by suggesting that all calculations performed with thin galactic disk models performed up until this point may have to be recalculated, and the very concept of <u>dark matter</u> itself, questioned.



More information: G. O. Ludwig, Galactic rotation curve and dark matter according to gravitomagnetism, *The European Physical Journal C* (2021). DOI: 10.1140/epjc/s10052-021-08967-3

Provided by Springer

Citation: Factoring in gravitomagnetism could do away with dark matter (2021, March 4) retrieved 30 April 2024 from <u>https://phys.org/news/2021-03-factoring-gravitomagnetism-dark.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.