


Scientists create a new type of intelligent material

May 12 2021



The team that created the 2D-electrolytes was led by Prof Antonio Castro Neto (right), Director of CA2DM. With him is Ms Mariana Costa (left), the first author of the publication. Credit: National University of Singapore

Intelligent materials, the latest revolution in the field of materials science, can adapt their properties depending on changes in their surroundings. They can be used in everything from self-healing mobile phone screens, to shape-shifting airplane wings, and targeted drug delivery. Delivering drugs to a specific target inside the body using intelligent materials is particularly important for diseases like cancer, as the smart material only releases the drug payload when it detects the presence of a cancer cell, leaving the healthy cells unharmed.

Now, researchers from the Center for Advanced 2D Materials (CA2DM) at the National University of Singapore (NUS) have created a new class of [intelligent materials](#). It has the structure of a two-dimensional (2D) material, but behaves like an [electrolyte](#)—and could be a new way to deliver drugs within the body.

Just like traditional electrolytes, these new "2D-electrolytes" dissociate their atoms in different solvents, and become electrically charged. Furthermore, the arrangement of these materials can be controlled by external factors, such as pH and temperature, which is ideal for targeted [drug delivery](#). The 2D-electrolytes also show promise for other applications that require a material to be responsive to environmental changes, such as artificial muscles and energy storage.

The team behind the 2D-electrolytes is led by Professor Antonio Castro Neto, Director of CA2DM, and comprised researchers from CA2DM, as well as the NUS Department of Physics, and the NUS Department of Materials Science and Engineering.

Their results were published in *Advanced Materials* on 12 May 2021.

Changing the behavior of 2D materials


In materials science, a 2D material is a solid material that exists in a

single layer of atoms. It can be thought of as an atomically-thin sheet that has a specific height and width, but effectively no depth, hence, it is essentially two-dimensional. On the other hand, an electrolyte is a substance that produces an electrically conducting suspension when dissolved in a solvent, such as water.

There are numerous 2D materials in existence today, and electrolytic behavior has been well-established in countless other compounds. However, the results from the NUS researchers show the first instance of materials that have both 2D structure and properties of electrolytes, with a particular trend to shapeshift their form reversibly in liquid medium. The NUS team achieved this feat by using organic molecules as reactive species to add different functionalities to 2D materials such as graphene and molybdenum disulfide (MoS₂).

"By adding different chemical groups that become positively or negatively electrically charged in solvents, we altered traditional 2D materials and came up with a novel class of [smart materials](#) that have their electronic properties controlled by morphological conformation," explained Prof Castro Neto.

The methods used by the researchers to create 2D-electrolytes are only a few possible examples among many potential options, making this discovery an exciting new research area to explore.



By altering the pH of the suspensions, the NUS researchers demonstrated the ability of the 2D-electrolyte sheet to roll up into a scroll-like arrangement. This is similar to the way electrically charged polymers undergo transitions from molecular chains to globular objects. Credit: National University of Singapore

From a flat sheet to a rolled-up scroll

A major breakthrough of this research was that the orientation of the 2D-electrolytes could reversibly change by tweaking the external conditions. Currently, the electrical repulsion between the surface charge in a 2D material leads to it be laid out in a flat sheet. By altering the pH, the temperature, or the ionic concentration of the suspensions, the NUS researchers demonstrated the ability of the 2D-electrolyte sheet to shapeshift and form scroll-like arrangements. These [experimental results](#) are supported by detailed theoretical analysis in which they explain the physical mechanism behind the scroll formation and stability.

These scroll orientations have such a small diameter that they could be described as one-dimensional (1D), leading to different physical and chemical properties. Moreover, this transition from 2D to 1D is reversible by altering the external conditions back to their original values

"One can think of 2D-electrolytes as the higher dimensional analogs of 1D electrolytes, commonly known as polyelectrolytes," said Prof Castro Neto. Important examples of polyelectrolytes include many biologically relevant materials, such as DNA and RNA.

"When acids, bases, or salts are added, these electrically charged polymers also undergo conformational transitions from molecular chains that are 1D, to globular objects of 0D, and vice versa. Our 2D-electrolytes, in analogy with polyelectrolytes, show reversible transitions from 2D to 1D, as a function of external factors. As stimuli-responsive materials, they are suitable for the creation of cutting-edge technology," he added.

Next steps

Discovering this class of materials has opened up new areas of exploration for materials scientists, since it brings together two fields of research that have been traditionally unlinked, namely, 2D materials in the field of Physics, and electrolytes (in the area of Electrochemistry).

"There is an uncountable number of ways to functionalise graphene and other 2D materials to transform them into 2D-electrolytes. We hope that our work will inspire scientists from different fields to further explore the properties and possible applications of 2D-electrolytes. We anticipate that as 2D-electrolytes have similarities with biological or natural systems, they are capable of spontaneously self-assemble and cross-link to form nanofibers that are promising for applications in filtration membranes, drug delivery, and smart e-textiles," explained

Prof Castro Neto.

More information: Mariana C. F. Costa et al. 2D Electrolytes: Theory, Modeling, Synthesis, and Characterization, *Advanced Materials* (2021). [DOI: 10.1002/adma.202100442](https://doi.org/10.1002/adma.202100442)

Provided by National University of Singapore

Citation: Scientists create a new type of intelligent material (2021, May 12) retrieved 10 September 2024 from <https://phys.org/news/2021-05-scientists-intelligent-material.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.