

Radiation-detecting optical fibers installed on the International Space Station

August 20 2021



ESA astronaut Thomas Pesquet installing the Lumina experiment inside the Colombus science laboratory of the International Space Station. Credit: CNES



In a spacecraft, in order to protect both crew and electronics from radiation, it is mandatory to invest in effective radiation monitoring systems. The International Space Station (ISS), just like the Large Hadron Collider at CERN, is a complex radiation environment that requires bespoke dosimetry devices. Optical-fiber-based technologies can provide both distributed and point radiation dose measurements with high precision.

On 18 August, ESA astronaut Thomas Pesquet activated the Lumina experiment inside the ISS as part of the ALPHA mission. Developed under the coordination of the French Space Agency, CNES, and with the involvement of CERN, the Laboratoire Hubert Curien at the Université Jean-Monnet-Saint-Étienne, and iXblue, this project uses two severalkilometer-long optical fibers as active dosimeters to measure ionizing radiation in the ISS with very <u>high sensitivity</u>.

Daniel Ricci, leader of the Fiber Optics section of the Engineering department at CERN, explains: "When exposed to the space radiative environment, the optical fibers experience a partial loss of transmitted power, which we call radiation-induced attenuation." Diego Di Francesca, fiber-dosimetry project leader in the team, describes in detail how the dosimeter works: "Using a reference control channel, the radiation-induced attenuation of some special optical fibers can be accurately measured and put in relation with the total ionizing dose. The sensitivity of the device is mostly governed by the length of the fiber. Depending on the dosimeter design, the longer the <u>optical fiber</u> dosimeter, the more sensitive it is."

In order to prevent radiation-induced damage to the electronics inside the accelerators, CERN has been working with radiation sensors based on optical fibers for six years. Building on this experience, CERN has made a technical contribution to Lumina by helping with the theoretical analysis of the optimized architecture of the dosimeters and by carrying



out the low- and high-dose irradiation tests needed to calibrate the instrument. Once the experiment is fully installed by Thomas Pesquet, CERN will also contribute to the analysis of the experiment's ground and flight data during its one to five years of operation.

"A challenge of Lumina is to be sensitive enough to measure low radiation rate variations, considering the shielding provided by the ISS shell. The calibration performed at CERN, on a ground reference model, will enable us to post-process the measurements and will lead to accurate results," explains Florence Clément, project manager of the Lumina experiment at CNES/CADMOS. "We are convinced that the ISS is only a first step for fiber-optic dosimeters as we venture further into space. As we move away from Earth, the radiation levels increase, and so does the need for reliable dose monitoring."

By contributing to this experiment, CERN continues to demonstrate its added value for the space sector. "This joint experience in space is an important result of the framework collaboration agreement established between CERN and CNES a few years ago, with special focus on radiation issues," highlights Enrico Chesta, Aerospace Applications Coordinator in CERN's Knowledge Transfer group. "To monitor radiation damage to electronics, CERN has developed instruments that can also be used on satellites. In the field of irradiation testing, our unique technical facilities are able to reproduce a variety of environments representative of the most extreme radiation space conditions."

More information: Diego Di Francesca et al, Qualification and Calibration of Single-Mode Phosphosilicate Optical Fiber for Dosimetry at CERN, *Journal of Lightwave Technology* (2019). <u>DOI:</u> <u>10.1109/JLT.2019.2915510</u>



Provided by CERN

Citation: Radiation-detecting optical fibers installed on the International Space Station (2021, August 20) retrieved 20 May 2024 from <u>https://phys.org/news/2021-08-radiation-detecting-optical-fibers-international-space.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.