

Two new pit vipers discovered from Qinghai-Tibet Plateau

October 7 2021



Glacier pit viper (*Gloydius swild* sp. nov.). Credit: Pensoft Publishers

Two new species of venomous snakes were just added to Asia's fauna—the Nujiang pit viper (*Gloydius lipipengi*) from Zayu, Tibet, and the Glacier pit viper (*G. swild*) found west of the Nujiang River and Heishui, Sichuan, east of the Qinghai-Tibet Plateau.

Researchers from the Institute of Vertebrate Paleontology and Paleoanthropology at the Chinese Academy of Sciences and Bangor University published the discovery in the peer-reviewed, open-access journal ZooKeys as part of a new molecular phylogenetic analysis of the Asian pit vipers.

The Nujiang pit viper has a grayish brown back with irregular black ring-shaped crossbands, wide, grayish-brown stripes behind the eyes, and relatively short fangs, while the Glacier pit viper is blueish-gray, with zigzag stripes on its back, and has relatively narrow stripes behind its eyes.

Interestingly, the Glacier pit viper can be found under the Dagu Holy-glacier National Park: the glacier lake lies 2000 meters higher than the habitat of the snakes, at more than 4,880 m above sea level. This discovery suggests that the [glaciers](#) might be a key factor to the isolation and speciation of alpine pit vipers in southwest China.

The researchers also share the stories behind the snakes' scientific names: with the new species from Tibet, *Gloydius lipipengi*, the name is dedicated to the senior author's (Jingsong Shi) Master's supervisor, Professor Pi-Peng Li from the Institute of Herpetology at Shenyang Normal University, just in time for Li's sixtieth birthday. Prof. Li has devoted himself to the study of the herpetological diversity of the Qinghai-Tibet Plateau, and it was under his guidance that Jingsong Shi became an Asian pit viper enthusiast and professional herpetological researcher.



Nujiang pit viper (*Gloydius lipipengi* sp. nov). Credit: Pensoft Publishers

Gloydius swild, the new species from Heishui, Sichuan, is in turn named after the SWILD Group, which studies the fauna and biodiversity of southwest China. They discovered and collected the snake during an [expedition](#) to the Dagu Holy-glacier.

On top of their discoveries, the researchers were also astonished by the sceneries they encountered during their field work. During their expeditions, they experienced striking views of "sacred, crystal-like" glacier lakes embraced by mountains, as well as colorful broadleaf-conifer forests and morning mists falling over the village.

"During our expedition, we met a lot of hospitable Tibetan inhabitants and enjoyed their kindness and treats, which made the expedition more unforgettable," they add.

More information: Jing-Song Shi et al, Molecular phylogenetic analysis of the genus *Gloydius* (Squamata, Viperidae, Crotalinae), with description of two new alpine species from Qinghai-Tibet Plateau, China, *ZooKeys* (2021). [DOI: 10.3897/zookeys.1061.70420](https://doi.org/10.3897/zookeys.1061.70420)

Provided by Pensoft Publishers

Citation: Two new pit vipers discovered from Qinghai-Tibet Plateau (2021, October 7) retrieved 2 May 2024 from <https://phys.org/news/2021-10-pit-vipers-qinghai-tibet-plateau.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.