

Researchers study waves created by recreational boats

February 1 2022



Researchers from the University of Minnesota St. Anthony Falls Laboratory carefully measured the maximum height, total energy, and maximum power of the waves from wakes produced by four recreational boats—two wakesurf boats and two more typical recreational boats. They also measured how the wake waves changed as they moved away from the boats and toward shore. Credit: Healthy Waters Initiative, University of Minnesota

A new study by researchers in the University of Minnesota College of Science and Engineering's St. Anthony Falls Laboratory found that popular wakesurf boats require a greater distance from the shoreline and other boats compared to more typical recreational boats. This distance is needed to reduce the potential impact of their larger waves.

The results provide key insights into differences between specialized wakesurfing boats and more typical recreational boats operating on lakes and rivers. It also provides [baseline data](#) that can be used for future decision-making.

Wakesurfing, which requires a [boat](#) capable of generating a large surfing wave, has become a popular pastime for some Minnesotans while sparking concerns in others about shoreline erosion, water quality, and safety. However, robust scientific data on the size and impact of wakesurf boat waves has been lacking.

"Minnesotans love their lakes, and they love their boats," said Jeff Marr, one of the lead researchers on the study and associate director of engineering and facilities at the St. Anthony Falls Lab. "Some of my best memories are of boating, waterskiing, and fishing with family and friends on lakes. This research isn't about trying to limit enjoyment of lakes for boaters, but it seeks to provide the data needed to ensure our lakes can be enjoyed by all for generations to come."

In an effort to provide scientific data on boat-generated waves, the researchers carefully examined these waves by measuring the [maximum height](#), total energy, and maximum power of the waves (defined as [wake waves](#)) produced by four recreational boats—two wakesurf boats and two more typical recreational boats. Using sensors and data collection hardware, the researchers also measured how the wake waves changed as they moved away from the boats and toward shore.

The researchers carried out the evaluation of the four boats in fall 2020 under a range of speeds, weight, and other conditions on Lake Independence in Maple Plain, Minnesota.

The findings reveal that wake waves produced by wakesurf boats during wakesurfing are not only higher, but they also require greater distance to decrease to the same height as wake waves from more typical recreational boats.

This study found that:

- When researchers compared the wake waves of the four boats during their most typical mode of operations, the data indicated that wakesurf boats require distances greater than 500 feet from the shoreline/docks and other boats (or the distance of a little less than 1.5 football fields) to decrease their wake wave characteristics to levels similar to the non-wakesurf boats.
- When researchers compared the wake waves of the four boats under conditions that generated the largest wake wave, the data indicated that wakesurf boats require distances greater than 425 feet from the shoreline/docks and other boats to decrease their wake wave characteristics to levels similar to the non-wakesurf boats.
- In both modes of operation, the suggested distance from shoreline/docks for wakesurf boats is more than twice the distance of the 200 feet currently recommended by Minnesota guidelines for common recreational boats.
- Under both slow and fast speed conditions, the wakesurf boats produced the largest waves in terms of height, energy, and power when compared to the non-wakesurf boats.
- Larger, more energetic waves need to travel a greater distance to decrease in wave height, energy, and power.



Using sensors and data collection hardware, the researchers conducted their research in fall 2020 under a range of speeds, weight, and other conditions on Lake Independence in Maple Plain, Minnesota. Credit: Healthy Waters Initiative, University of Minnesota

This report establishes an important baseline for the study of wake waves produced by wakesurf boats—a topic of growing interest across the country.

"We quickly learned that boat wave impacts were not just a Minnesota concern. We have received inquiries about our research from many others throughout the U.S.," said Andy Riesgraf, another lead researcher on the project and researcher at the University's St. Anthony Falls Lab.

"We're hoping this study will provide a pathway for shared use of our lakes and rivers."

The researchers say this study gives legislators, lake associations, boat manufacturers, and property owners new information about the operation of wakesurf boats and other recreational boats on Minnesota's lakes.

But the researchers also see it as just the beginning. This foundational work has been critical as they design further studies, with future research aimed at propeller wash interactions with [lake](#) bottoms and an examination of the impact of large waves on aquatic vegetation and shorelines.

More information: Full report:
conservancy.umn.edu/handle/11299/226190

Provided by University of Minnesota

Citation: Researchers study waves created by recreational boats (2022, February 1) retrieved 16 May 2024 from <https://phys.org/news/2022-02-recreational-boats.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.