


# Looking for the last universal common ancestor of all living organisms

November 21 2023



Credit: Tara Mahendrarajah

LUCA, the "last universal common ancestor" of all living organisms, lived 4.32–4.52 billion years ago, according to a study from NIOZ biologists Tara Mahendrarajah and senior author Anja Spang, with collaborating partners from Universities in Bristol, Hungary, and Tokyo. Their research is [published](#) in *Nature Communications*.

What LUCA looked like is unknown, but it must have been a cell with, among others, ribosomal proteins and an ATP synthase. "These proteins are shared by all bacteria, [archaea](#), and eukaryotes such as plants and animals," Spang says. Using a new molecular dating approach, the researchers were able to more accurately estimate the moment when LUCA split into bacteria and archaea and when eukaryotes emerged.

This new dating of the primordial form of all life is not dramatically different from previous estimates. "Dating gets increasingly uncertain towards the root of the [tree of life](#)," co-corresponding author Tom Williams of the University of Bristol explains. One of the real surprises of this research by Mahendrarajah and colleagues is further up the tree of life. "Archaea are often called ancient bacteria," says Spang.

"That would suggest that they stem from an ancestor that is older than the one of today's bacteria. But with this improved dating approach, we see that the ancestors of all current archaea lived between 3.37 and 3.95 billion years ago. This makes the last common ancestor of known archaea younger than the one of all bacteria, which lived between 4.05 and 4.49 billion years back. This suggests that earlier archaea either died out, or they live somewhere hidden on Earth where we have not found them yet," Spang says.

The eukaryotes, meaning cells with a nucleus, such as all plants and animals, had their last common ancestor between 1.84 and 1.93 billion years back. Tara Mahendrarajah explains, "If you imagine all life on Earth as a [family tree](#), LUCA is at the base, and at some point, the trunk

splits into a bacterial and an archaeal branch. But eukaryotes are not a separate branch on this tree of life, but rather a fusion of two branches that came out of the bacterial and the archaeal branches. We have a bit of both in us."

"Our new estimates for the age of the archaeal and bacterial ancestors of [eukaryotes](#) will help to improve our models on eukaryotic origins," Edmund Moody of the University of Bristol adds. "This new way of viewing the tree of life helps us track how cells have evolved over time on Earth. It also gives us a foundation to figure out what those early microbes did in their old environments and how their evolution is linked to natural history."

Spang further points out, "Insights into the role of both ancient and extant microbes in [nutrient cycling](#) can help to better understand and predict future biodiversification in a changing environment, including climate warming."

**More information:** Tara A. Mahendrarajah et al, ATP synthase evolution on a cross-braced dated tree of life, *Nature Communications* (2023). [DOI: 10.1038/s41467-023-42924-w](https://doi.org/10.1038/s41467-023-42924-w)

Provided by Royal Netherlands Institute for Sea Research

Citation: Looking for the last universal common ancestor of all living organisms (2023, November 21) retrieved 29 April 2024 from <https://phys.org/news/2023-11-universal-common-ancestor.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.