

# NASA tests deployment of Roman Space Telescope's 'visor'

August 9 2024, by Ashley Balzer

---



After a successful test deployment at NASA's Goddard Space Flight Center in Greenbelt, Maryland, clean room technicians inspect the Deployable Aperture Cover for NASA's Nancy Grace Roman Space Telescope. Credit: NASA/Chris Gunn

The "visor" for NASA's Nancy Grace Roman Space Telescope recently

completed several environmental tests simulating the conditions it will experience during launch and in space. Called the Deployable Aperture Cover, this large sunshade is designed to keep unwanted light out of the telescope. This milestone marks the halfway point for the cover's final sprint of testing, bringing it one step closer to integration with Roman's other subsystems this fall.

Designed and built at NASA's Goddard Space Flight Center in Greenbelt, Maryland, the Deployable Aperture Cover consists of two layers of reinforced thermal blankets, distinguishing it from previous hard aperture covers, [like those on NASA's Hubble](#). The sunshade will remain folded during launch and deploy after Roman is in space via three booms that spring upward when triggered electronically.

"With a soft deployable like the Deployable Aperture Cover, it's very difficult to model and precisely predict what it's going to do—you just have to test it," said Matthew Neuman, a DAC [mechanical engineer](#) at Goddard. "Passing this testing now really proves that this system works."

During its first major environmental test, the [aperture](#) cover endured conditions simulating what it will experience in space. It was sealed inside NASA Goddard's Space Environment Simulator—a massive chamber that can achieve extremely low pressure and a wide range of temperatures.

Technicians placed the DAC near six heaters—a sun simulator—and thermal simulators representing Roman's Outer Barrel Assembly and Solar Array Sun Shield. Since these two components will eventually form a subsystem with the Deployable Aperture Cover, replicating their temperatures allows engineers to understand how heat will actually flow when Roman is in space.



Brian Simpson, product design lead at NASA's Goddard Space Flight Center, adjusts sensors on the Deployable Aperture Cover for NASA's Nancy Grace Roman Space Telescope. The sensors will collect data on the DAC's response to testing. Credit: NASA/Chris Gunn

When in space, the Deployable Aperture Cover is expected to operate at minus 67 degrees Fahrenheit, or minus 55 degrees Celsius. However, recent testing cooled the cover to minus 94 degrees Fahrenheit, or minus 70 degrees Celsius—ensuring that it will work even in unexpectedly cold conditions.

Once chilled, technicians triggered its deployment, carefully monitoring

through cameras and sensors onboard. Over the span of about a minute, the sunshade successfully deployed, proving its resilience in extreme space conditions.

"This was probably the environmental test we were most nervous about," said Brian Simpson, project design lead for the Deployable Aperture Cover at NASA Goddard. "If there's any reason that the Deployable Aperture Cover would stall or not completely deploy, it would be because the material became frozen stiff or stuck to itself."

If the sunshade were to stall or partially deploy, it would obscure Roman's view, severely limiting the mission's science capabilities.

After passing thermal vacuum testing, the Deployable Aperture Cover underwent acoustic testing to simulate the launch's intense noises, which can cause vibrations at higher frequencies than the shaking of the launch itself. During this test, the sunshade remained stowed, hanging inside one of Goddard's acoustic chambers—a large room outfitted with two gigantic horns and hanging microphones to monitor sound levels.



Technicians prepare for acoustic testing at NASA's Goddard Space Flight Center in Greenbelt, Maryland. During testing, the Deployable Aperture Cover for NASA's Nancy Grace Roman Space Telescope was suspended in the air and exposed to 138 decibels for one full minute to simulate launch's intense noise. Credit: NASA/Chris Gunn

With the Deployable Aperture Cover plastered in sensors, the acoustic test ramped up in [noise level](#), eventually subjecting the cover to one full minute at 138 decibels—louder than a jet plane's takeoff at close range! Technicians attentively monitored the sunshade's response to the powerful acoustics and gathered valuable data, concluding that the test succeeded.

"For the better part of a year, we've been building the flight assembly," Simpson said. "We're finally getting to the exciting part where we get to test it. We're confident that we'll get through with no problem, but after each [test](#) we can't help but breathe a collective sigh of relief."

Next, the Deployable Aperture Cover will undergo its two final phases of testing. These assessments will measure the sunshade's natural frequency and response to the launch's vibrations. Then, the Deployable Aperture Cover will integrate with the Outer Barrel Assembly and Solar Array Sun Shield this fall.

Provided by NASA's Goddard Space Flight Center

Citation: NASA tests deployment of Roman Space Telescope's 'visor' (2024, August 9) retrieved 9 August 2024 from

<https://phys.org/news/2024-08-nasa-deployment-roman-space-telescope.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--