

# Origin of claws seen in 390-million-year-old fossil

February 5 2009

---



This is a photograph of *Schinderhannes bartelsi*. Credit: Steinmann Institute/University of Bonn

A missing link in the evolution of the front claw of living scorpions and horseshoe crabs was identified with the discovery of a 390 million-year-old fossil by researchers at Yale and the University of Bonn, Germany.

The specimen, named *Schinderhannes bartelsi*, was found fossilized in slate from a quarry near Bundenbach in Germany, a site that yields spectacularly durable pyrite-preserved fossils — findings collectively

known as the Hunsrück Slate. The Hunsrück Slate has previously produced some of the most valuable clues to understanding the evolution of arthropods - including early shrimp-like forms, a scorpion and sea spiders as well as the ancient arthropods trilobites.

"With a head like the giant Cambrian aquatic predator *Anomalocaris* and a body like a modern arthropod, the specimen is the only known example of this unusual creature," said Derek Briggs, director of Yale's Peabody Museum of Natural History and an author of the paper appearing in the journal *Science*.



Reconstruction of *Schinderhannes bartelsi*. Credit: Elke Groening

Scientists have puzzled over the origins of the paired grasping appendages found on the heads of scorpions and horseshoe crabs. The researchers suggest that *Schinderhannes* gives a hint. Their appendages may be an equivalent to those found in the ancient predatory ancestor, *Anomalocaris* — even though creatures with those head structures were thought to have become extinct by the middle of the Cambrian Period, 100 million years before *Schinderhannes* lived.

[Join PhysOrg.com on Facebook](#)

---

The fossil's head section has large bulbous eyes, a circular mouth opening and a pair of segmented, opposable appendages with spines projecting inward along their length. The trunk section is made up of 12 segments, each with small appendages, and a long tail spine. Between the head and trunk, there is a pair of large triangular wing-like limbs — that likely propelled the creature like a swimming penguin, according to Briggs. Unlike its ancestors from the Cambrian period, which reached three feet in length, *Schinderhannes* is only about 4 inches long.

This finding caps almost 20 years of study by Briggs on the Hunsrück Slate. "Sadly, the quarry from which this fabulous material comes has closed for economic reasons, so the only additional specimens that are going to appear now are items that are already in collectors' hands and that may not have been fully prepared or realized for what they are," said Briggs.

Source: Yale University

Citation: Origin of claws seen in 390-million-year-old fossil (2009, February 5) retrieved 26 April 2024 from <https://phys.org/news/2009-02-claws-million-year-old-fossil.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--