

## **Tying light in knots**

January 17 2010



The coloured circle represents the hologram, out of which the knotted optical vortex emerges.

(PhysOrg.com) -- The remarkable feat of tying light in knots has been achieved by a team of physicists working at the universities of Bristol, Glasgow and Southampton, UK, reports a paper in *Nature Physics* this week.

Understanding how to control <u>light</u> in this way has important implications for <u>laser</u> technology used in wide a range of industries.

Dr Mark Dennis from the University of Bristol and lead author on the paper, explained: "In a light beam, the flow of light through space is similar to water flowing in a river. Although it often flows in a straight line - out of a torch, <u>laser pointer</u>, etc - light can also flow in whirls and



eddies, forming lines in space called 'optical vortices'.

"Along these lines, or optical vortices, the intensity of the light is zero (black). The light all around us is filled with these dark lines, even though we can't see them".

Optical vortices can be created with holograms which direct the flow of light. In this work, the team designed holograms using knot theory - a branch of abstract mathematics inspired by knots that occur in shoelaces and rope. Using these specially designed holograms they were able to create knots in optical vortices.



The coloured circle represents the hologram, out of which the knotted optical vortex emerges.

This new research demonstrates a physical application for a branch of mathematics previously considered completely abstract.

Professor Miles Padgett from Glasgow University, who led the experiments, said: "The sophisticated hologram design required for the experimental demonstration of the knotted light shows advanced optical



control, which undoubtedly can be used in future laser devices".

"The study of knotted vortices was initiated by Lord Kelvin back in 1867 in his quest for an explanation of atoms", adds Dennis, who began to study knotted optical vortices with Professor Sir Michael Berry at Bristol University in 2000. "This work opens a new chapter in that history."

**More information:** Isolated optical vortex knots by Mark R. Dennis1, Robert P. King, Barry Jack, Kevin O'Holleran and Miles J. Padgett. Nature Physics, published online 17 January 2010.

Provided by University of Bristol

Citation: Tying light in knots (2010, January 17) retrieved 21 September 2024 from <u>https://phys.org/news/2010-01-tying.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.