

# New cervid species found in middle miocene of Nei Mongol, China

November 3 2011

---




Fig.1: Antlers of *Euprox altus* sp. nov. from the Middle Miocene fossil locality of Damiao, Siziwangqi, Nei Mongol. Credit: WANG Li-Hua

Wang Li-Hua, a graduate student paleontologist from Institute of Vertebrate Paleontology and Paleoanthropology, Chinese Academy of Sciences, identified a new species of cervid, *Euprox altus*, from the Middle Miocene fossil locality of Damiao (N42°00'31.4", E111°34'50"), Siziwangqi, Nei Mongol, as reported in the latest issue of *Vertebrata Palasiatic* 2011 (4). Its tooth morphology and comparison with other species suggest that during the latest Middle Miocene the Damiao area was a warm and humid environment.

Euprox was named by Stehlin in 1928 when he studied [fossil](#) cervids from Steinheim in Germany. This new species is a small Euprox species, having two-tined antlers with prominent burrs. The fork of the antler starts high above the true burr. The antler surface is ornamented unevenly with longitudinal grooves. The cheek teeth are brachyodont. The fold on the postprotocrista of P4 is developed. The precingulum, entocingulum and postcingulum are present and linked together on the upper molars. The palaeomeryx fold is present but weak on the lower molars.

Tooth morphology and comparison with other species suggest that during the latest Middle Miocene the Damiao area was a warm and humid environment. The finding of Euprox altus indicates that during the latest Middle Miocene the monsoon, which produced a dry and strongly seasonal climate, had not yet formed or had not influenced the Damiao area at least.

“The American Museum of Natural History’s Central Asiatic Expeditions of the early 20th century, led by R. C. Andrews, discovered rich fossil mammals in Nei Mongol, including the Tunggur fauna, representative fauna of the Chinese Middle Miocene Tunggurian age. They found some Euprox antler material. During the field seasons from 2006 to 2009, we found a total of 34 mammalian fossil localities near Damiao village”, said Dr. ZHANG Zhao-Qun, co-author and the research designer, “Richest among these was a Middle Miocene locality, DM01, produced many antlers and teeth. These antlers differ from those of other known Euprox [species](#), representing a new form of Euprox.”

Provided by Institute of Vertebrae Paleontology and Paleoanthropology

Citation: New cervid species found in middle miocene of Nei Mongol, China (2011, November 3) retrieved 22 September 2024 from <https://phys.org/news/2011-11-cervid-species-middle->

[miocene-nei.html](http://miocene-nei.html)

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.