

Scientists use silk from the tasar silkworm as a scaffold for heart tissue

January 30 2012



Disks cut from the cocoon of the tasar silkworm grub provide a basic scaffold for heart muscle cells. The disks are around the same size as cent coins. © MPI for Heart and Lung Research

(PhysOrg.com) -- Damaged human heart muscle cannot be regenerated. Scar tissue grows in place of the damaged muscle cells. Scientists from the Max Planck Institute for Heart and Lung Research in Bad Nauheim are seeking to restore complete cardiac function with the help of artificial cardiac tissue. They have succeeded in loading cardiac muscle cells onto a three-dimensional scaffold, created using the silk produced by a tropical silkworm.

Of all the body's organs, the [human heart](#) is probably the one most primed for performance and efficiency. Decade after decade, it

continues to pump blood around our bodies. However, this performance optimisation comes at a high price: over the course of evolution, almost all of the body's own regeneration mechanisms in the heart have become deactivated. As a result, a heart attack is a very serious event for patients; dead cardiac cells are irretrievably lost. The consequence of this is a permanent deterioration in the heart's pumping power and in the patient's quality of life.

In their attempt to develop a treatment for the repair of [cardiac tissue](#), scientists are pursuing the aim of growing replacement tissue in the laboratory, which could then be used to produce replacement patches for the repair of damaged cardiac muscle. The reconstruction of a three-dimensional structure poses a challenge here. Experiments have already been carried out with many different materials that could provide a [scaffold](#) substance for the loading of [cardiac muscle cells](#).

“Whether natural or artificial in origin, all of the tested fibres had serious disadvantages,” says Felix Engel, Research Group Leader at the Max Planck Institute for Heart and Lung Research in Bad Nauheim. “They were either too brittle, were attacked by the immune system or did not enable the heart muscle cells to adhere correctly to the fibres.” However, the scientists have now found a possible solution in Kharagpur, India.

At the university there, coin-sized disks are being produced from the cocoon of the tasar [silkworm](#) (*Antheraea mylitta*). According to Chinmoy Patra, an Indian scientist who now works in Engel's laboratory, the fibre produced by the tasar silkworm displays several advantages over the other substances tested. “The surface has protein structures that facilitate the adhesion of heart muscle cells. It's also coarser than other silk fibres.” This is the reason why the muscle cells grow well on it and can form a three-dimensional tissue structure. “The communication between the cells was intact and they beat synchronously over a period of 20 days,

just like real [heart muscle](#),” says Engel.

Despite these promising results, clinical application of the fibre is not currently on the agenda. “Unlike in our study, which we carried out using rat cells, the problem of obtaining sufficient human cardiac cells as starting material has not yet been solved,” says Engel. It is thought that the patient’s own stem cells could be used as starting material to avoid triggering an immune reaction. However, exactly how the conversion of the stem cells into cardiac muscle cells works remains a mystery.

More information: Chinmoy Patra, Sarmistha Talukdar, Tatyana Novoyatleva, Siva R. Velagala, Christian Mühlfeld, Banani Kundu, Subhas C. Kundu, Felix B. Engel
Silk protein fibroin from *Antheraea mylitta* for cardiac tissue engineering, *Biomaterials*, Advance Online Publication Januar 10, 2012

Provided by Max-Planck-Gesellschaft

Citation: Scientists use silk from the tasar silkworm as a scaffold for heart tissue (2012, January 30) retrieved 19 September 2024 from <https://phys.org/news/2012-01-scientists-silk-tasar-silkworm-scaffold.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.