

New method for producing clean hydrogen

May 21 2013



This is Nico Hotz, left, and Titilayo Shodiya. Credit: Duke University

Duke University engineers have developed a novel method for producing clean hydrogen, which could prove essential to weaning society off of fossil fuels and their environmental implications.

While hydrogen is ubiquitous in the environment, producing and collecting [molecular hydrogen](#) for transportation and industrial uses is expensive and complicated. Just as importantly, a byproduct of most current methods of [producing hydrogen](#) is carbon monoxide, which is

toxic to humans and animals.

The Duke engineers, using a new catalytic approach, have shown in the laboratory that they can reduce carbon monoxide levels to nearly zero in the presence of hydrogen and the harmless byproducts of carbon dioxide and water. They also demonstrated that they could produce hydrogen by reforming fuel at much lower temperatures than conventional methods, which makes it a more practical option.

Catalysts are agents added to promote chemical reactions. In this case, the catalysts were nanoparticle combinations of gold and iron oxide (rust), but not in the traditional sense. Current methods depend on gold nanoparticles' ability to drive the process as the sole catalyst, while the Duke researchers made both the iron oxide and the gold the focus of the catalytic process.

The study appears online in the *Journal of Catalysis*.

"Our ultimate goal is to be able to produce hydrogen for use in fuel cells," said Titilayo "Titi" Shodiya, a graduate student working in the laboratory of senior researcher Nico Hotz, assistant professor of mechanical engineering and materials science at Duke's Pratt School of Engineering. "Everyone is interested in sustainable and non-polluting ways of producing useful energy without fossil fuels," said Shodiya, the paper's first author.

Fuel cells produce electricity through chemical reactions, most commonly involving hydrogen. Also, many [industrial processes](#) require hydrogen as a chemical reagent and vehicles are beginning to use hydrogen as a primary [fuel source](#).

"We were able through our system to consistently produce hydrogen with less than 0.002 percent (20 parts per million) of carbon monoxide,"

Shodiya said.

The Duke researchers achieved these levels by switching the recipe for the nanoparticles used as catalysts for the reactions to oxidize carbon monoxide in hydrogen-rich gases. Traditional methods of cleaning hydrogen, which are not nearly as efficient as this new approach, also involve gold-iron oxide nanoparticles as the catalyst, the researchers said.

"It had been assumed that the iron oxide nanoparticles were only 'scaffolds' holding the gold nanoparticles together, and that the gold was responsible for the [chemical reactions](#)," Shodiya said. "However, we found that increasing the surface area of the iron oxide dramatically increased the catalytic activity of the gold."

One of the newest approaches to producing renewable energy is the use of biomass-derived alcohol-based sources, such as methanol. When methanol is treated with steam, or reformed, it creates a hydrogen-rich mixture that can be used in fuel cells.

"The main problem with this approach is that it also produces carbon monoxide, which is not only toxic to life, but also quickly damages the catalyst on fuel cell membranes that are crucial to the functioning of a [fuel cell](#)," Hotz said. "It doesn't take much carbon monoxide to ruin these membranes."

The researchers ran the reaction for more than 200 hours and found no reduction in the ability of the catalyst to reduce the amount of [carbon monoxide](#) in the [hydrogen](#) gas.

"The mechanism for this is not exactly understood yet. However, while current thinking is that the size of the gold particles is key, we believe the emphasis of further research should focus on [iron oxide](#)'s role in the process," Shodiya said.

More information: "Novel nano-scale Au/alpha-Fe₂O₃ catalyst for the preferential oxidation of CO in biofuel reformat gas," Titilayo Shodiya, et. al, Journal of Catalysis, [DOI 10.1016/j.cat.2012.12.027](https://doi.org/10.1016/j.cat.2012.12.027) , www.sciencedirect.com/science/.../ii/S0021951712004204

Provided by Duke University

Citation: New method for producing clean hydrogen (2013, May 21) retrieved 19 September 2024 from <https://phys.org/news/2013-05-method-hydrogen.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.