

# 80 percent of Malaysian Borneo degraded by logging

July 17 2013

---

A study published in the July 17, issue of the journal *PLOS ONE* found that more than 80% of tropical forests in Malaysian Borneo have been heavily impacted by logging.

The Malaysian states of Sabah and Sarawak were already thought to be global hotspots of forest loss and degradation due to timber and oil palm industries, but the rates and patterns of change have remained poorly measured by conventional field or satellite approaches. A research team from the University of Tasmania, University of Papua New Guinea, and the Carnegie Institution for Science documented the full extent of [logging](#) in this region.

The team used the Carnegie Landsat Analysis System-lite (CLASlite) to reveal the vast and previously unmapped extent of heavily logged forest. CLASlite's high-resolution [satellite imaging](#) uncovered logging roads in Brunei and in the Malaysian states of Sabah and Sarawak on the island of Borneo.

CLASlite, developed by Carnegie's Greg Asner and team, has the unique ability to convert satellite images of seemingly dense tropical forest cover into highly detailed maps of deforestation and forest degradation. The user-friendly monitoring system has been made available to hundreds of governments, nongovernmental organizations, and academic institutions for use in mapping [tropical forests](#).

Analysis of satellite imagery collected from 1990 and 2009 over

Malaysian Borneo showed approximately 226,000 miles (364,000 km) of roads constructed throughout the forests of this region. Nearly 80% of the land surface of Sabah and Sarawak was impacted by previously undocumented, high-impact logging or clearing operations. This finding contrasted strongly with neighboring Brunei, where 54% of the land area maintained intact unlogged forest.

Team leader Jane Bryan said: "There is a crisis in tropical forest ecosystems worldwide, and our work documents the extent of the crisis on Malaysian Borneo. Only small areas of intact forest remain in Malaysian Borneo, because so much has been heavily logged or cleared for timber or oil palm production. Rainforests that previously contained lots of big old trees, which store carbon and support a diverse ecosystem, are being replaced with [oil palm](#) or timber plantations, or hollowed out by logging."

Only 8% and 3% of land area in Sabah and Sarawak, respectively, was covered by intact forests in designated protected areas. Very few forest ecosystems remain intact in Sabah or Sarawak. But Brunei has largely excluded industrial logging from its borders and has been comparatively successful in protecting its forests.

Greg Asner commented: "The results are sobering. The problem with previous monitoring reports is that they have been based on satellite mapping methods that have missed most of the forest degradation in Malaysian Borneo, and elsewhere throughout the tropics. I'm talking about heavy logging that leaves a wake of [forest degradation](#), even though the area may still look like forest in conventional [satellite imagery](#). With the CLASlite system, we can see the effects of logging on the inner canopy of the forest. The system revealed extremely widespread degradation in this case."

Co-author of the study Phil Shearman said: "The extent of logging in

Sabah and Sarawak documented in our work is breathtaking. The [logging industry](#) has penetrated right into the heart of Borneo and very little rainforest remains untouched by logging or clearfell in Malaysian Borneo. Brunei provides a stunning contrast. Most of Brunei's forests are still intact, as a result of largely excluding the logging industry from its borders. The situation in these tropical forests is now so severe that any further sacrifice of intact ecosystems to the logging industry should be off the table."

Provided by Carnegie Institution for Science

Citation: 80 percent of Malaysian Borneo degraded by logging (2013, July 17) retrieved 24 April 2024 from <https://phys.org/news/2013-07-percent-malaysian-borneo-degraded.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.