

# Carbon cycle models underestimate indirect role of animals

October 16 2013

---

Animal populations can have a far more significant impact on carbon storage and exchange in regional ecosystems than is typically recognized by global carbon models, according to a new paper authored by researchers at the Yale School of Forestry & Environmental Studies (F&ES).

In fact, in some regions the magnitude of [carbon](#) uptake or release due to the effects of specific animal species or groups of [animals](#)—such as the pine beetles devouring forests in western North America—can rival the impact of [fossil fuel emissions](#) for the same region, according to the paper published in the journal *Ecosystems*.

While models typically take into account how plants and microbes affect the carbon cycle, they often underestimate how much animals can indirectly alter the absorption, release, or transport of carbon within an ecosystem, says Oswald Schmitz, the Oastler Professor of Population and Community Ecology at F&ES and lead author of the paper. Historically, the role of animals has been largely underplayed since animal species are not distributed globally and because the total biomass of animals is vastly lower than the plants that they rely upon, and therefore contribute little carbon in the way of respiration.

"What these sorts of analyses have not paid attention to is what we call the indirect multiplier effects," Schmitz says. "And these indirect effects can be quite huge – and disproportionate to the biomass of the species that are instigating the change."

In the paper, "Animating the Carbon Cycle," a team of 15 authors from 12 universities, research organizations and government agencies cites numerous cases where animals have triggered profound impacts on the [carbon cycle](#) at local and regional levels.

In one case, an unprecedented loss of trees triggered by the pine beetle outbreak in western North America has decreased the net carbon balance on a scale comparable to British Columbia's current fossil fuel emissions.

And in East Africa, scientists found that a decline in wildebeest populations in the Serengeti-Mara grassland-savanna system decades ago allowed organic matter to accumulate, which eventually led to about 80 percent of the ecosystem to burn annually, releasing carbon from the plants and the soil, before populations recovered in recent years.

"These are examples where the animals' largest effects are not direct ones," Schmitz says. "But because of their presence they mitigate or mediate ecosystem processes that then can have these ramifying effects."

"We hope this article will inspire scientists and managers to include animals when thinking of local and regional carbon budgets," said Peter Raymond, a professor of ecosystem ecology at the Yale School of Forestry & Environmental Studies.

According to the authors, a more proper assessment of such phenomena could provide insights into management schemes that could help mitigate the threat of climate change.

For example, in the Arctic, where about 500 gigatons of carbon is stored in permafrost, large grazing mammals like caribou and muskoxen can help maintain the grasslands that have a high albedo and thus reflect more solar energy. In addition, by trampling the ground these herds can

actually help reduce the rate of permafrost thaw, researchers say.

"It's almost an argument for rewilding places to make sure that the natural balance of predators and prey are there," Schmitz says. "We're not saying that managing animals will offset these carbon emissions. What we're trying to say is the numbers are of a scale where it is worthwhile to start thinking about how animals could be managed to accomplish that."

**More information:** The [paper](#), which is published online in the journal *Ecosystems*, was inspired by a conference, "Managing Species for Regulating the Carbon Cycle," hosted by the Yale Climate and Energy Institute in 2012.

Provided by Yale University

Citation: Carbon cycle models underestimate indirect role of animals (2013, October 16)  
retrieved 19 September 2024 from  
<https://phys.org/news/2013-10-carbon-underestimate-indirect-role-animals.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.