

# Atoms in a nanocrystal cooperate, much like in biomolecules

December 17 2013, by Liz Ahlberg

---



Nanocrystals of cadmium selenide, known for their brilliant luminescence, display intriguing chemical behavior resulting from positive cooperation between atoms, a behavior akin to that found in biomolecules. Credit: Prashant Jain

(Phys.org) —Researchers have long thought that biological molecules and synthetic nanocrystals were similar only in size. Now, University of Illinois at Urbana-Champaign chemists have found that they can add reactivity to the list of shared traits. Atoms in a nanocrystal can cooperate with each other to facilitate binding or switching, a

phenomenon widely found in biological molecules.

The finding could catalyze manufacturing of [nanocrystals](#) for smart sensors, solar cells, tiny transistors for optical computers, and medical imaging. Led by chemistry professor Prashant Jain, the team published its findings in the journal *Nature Communications*.

"In geological, industrial and domestic environments, the nanoscale grains of any material undergo chemical transitions when they are put under reactive conditions," Jain said. "Iron rusting over time and diamond forming from carbon are examples of two commonly occurring transitions. Understanding how these transitions occur on the scale of the tiniest grains of the material is a major motivation of our work."

Scientists can exploit such transitions to make nanocrystals that conform to a particular structure. They can make a nanocrystal of one material and transform it into another material, essentially using the original nanocrystal framework as a template for creating a nanocrystal of the new material with the same size and shape. This lets researchers create nanocrystals of new materials in shapes and structures they may not be able to otherwise.

In the new study, the researchers transformed tiny crystals of the material cadmium selenide to crystals of copper selenide. Copper selenide nanocrystals have a number of interesting properties that can be used for solar energy harvesting, optical computing and laser surgery. Transformation from cadmium selenide creates nanocrystals with a purity difficult to attain from other methods.

The researchers, including graduate student Sarah White, used advanced microscopy and spectroscopy techniques to determine the dynamics of the atoms within the crystals during the transformation and found that the transformation occurs not as a slow diffusion process, but as a rapid

switching thanks to co-operativity.

The researchers saw that once the cadmium-selenide nanocrystal has taken up a few initial copper "seed" impurities, atoms in the rest of the lattice can cooperate to rapidly swap out the rest of the cadmium for copper. Jain compares the crystals to hemoglobin, the molecule in red blood cells that carries oxygen. Once one oxygen molecule has bound to hemoglobin, other binding sites within hemoglobin slightly change conformation to more easily pick up more oxygen. He posits that similarly, copper impurities might cause a structural change in the nanocrystal, making it easier for more copper ions to infiltrate the nanocrystal in a rapid cascade.

The researchers reproduced the experiment with silver, in addition to copper, and saw similar, though slightly less speedy, cooperative behavior.

Now, Jain's team is using its advanced imaging to watch transitions happen in single nanocrystals, in real time.

"We have a sophisticated optical microscope in our lab, which has now allowed us to catch a single nanocrystal in the act of making a transition," Jain said. "This is allowing us to learn hidden details about how the transition actually proceeds. We are also learning how one nanocrystal behaves differently from another."

Next, the researchers plan to explore biomolecule-like cooperative phenomena in other solid-state materials and processes. For example, co-operativity in catalytic processes could have major implications for [solar energy](#) or manufacturing of expensive specialty chemicals.

"In the long term, we are interested in exploiting the co-operative behavior to design artificial smart materials that respond in a switch-like

manner like hemoglobin in our body does," Jain said.

**More information:** "Co-operativity in a nanocrystalline solid-state transition." Sarah L. White, Jeremy G. Smith, Mayank Behl, Prashant K. Jain. *Nature Communications* 4, Article number: 2933 [DOI: 10.1038/ncomms3933](https://doi.org/10.1038/ncomms3933)

Provided by University of Illinois at Urbana-Champaign

Citation: Atoms in a nanocrystal cooperate, much like in biomolecules (2013, December 17)  
retrieved 18 September 2024 from  
<https://phys.org/news/2013-12-atoms-nanocrystal-cooperate-biomolecules.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.