


Setting a trap for gravity waves

March 19 2014, by Paul Preuss



B-mode polarization of the cosmic microwave background radiation exhibits a distinctive 'curl,' either left or right-handed, imposed by the distortion of space as gravity waves moved through it. Credit: BICEP2 Collaboration

In 1996 Uros Seljak was a postdoc at Harvard, contemplating ways to extract information from the cosmic microwave background (CMB). The distribution of anisotropies, slight temperature differences, in the CMB had much to say about the large-scale structure of the universe. If it were also possible to detect the polarization of the CMB itself, however, a much wider window would be opened – polarization could even reveal the tracks of gravitational waves.

"Gravitational waves are distortions of space on a small scale, and have no consequence for the large-scale structure of the universe," says Seljak, now a professor of physics and astronomy at UC Berkeley and a faculty scientist in Berkeley Lab's Physics Division. "Both result from

perturbations during inflation, but the seeds of large-scale structure are described by a scalar field, and [gravitational waves](#) by a tensor field."

Cosmologists already assumed that inflation theory was essentially correct: virtually instantaneous expansion after the big bang explained how regions of the universe never otherwise in contact had in fact started from the same initial conditions. Here was a way to test inflation directly.

Seljak posted a [paper](#) to arXiv (soon published in the *Astrophysical Journal*), becoming the first to predict how [polarization](#) could be used to find CMB tensor signals, including gravitational waves. Marc Kamionkowski, Arthur Kosowsky, and Albert Stebbins of Fermilab independently posted their [similar proposal](#) shortly thereafter. In [further work](#) with Matias Zaldarriaga, Seljak named the E and B modes of CMB polarization, borrowing the symbols for light's electric and magnetic fields – scalar fields produce E-mode polarization; a gravitational tensor field can produce both.

Fast forward to the year 2000, when Adrian Lee, a professor of astrophysics at UC Berkeley and faculty scientist in the Lab's Physics Division, came up with the idea of suspending the widely used transition-edge sensor bolometer (TES), creating what he describes as "a trampoline that bounces when an energy pulse lands on it" – the more energy, the bigger the bounce.

Lee integrated suspended TESs with other functions in flat chips suitable for the focal planes of CMB telescopes. He proposed just such a telescope, the [POLARBEAR experiment](#), initiated with support from Berkeley Lab's Laboratory Directed Research and Development (LDRD). BICEP2 and many other CMB telescopes also use these focal-plane chips.

On Monday, March 17, 2014, the BICEP2 collaboration grabbed the brass ring: [first detection of B-mode polarization from gravitational waves](#), thus first direct evidence of inflation – a signal far stronger than most scientists had expected.

"We look forward to working with BICEP2 to refine their measurements," says Lee. "Until now, the best evidence for inflation was a slight 'tilt' in the CMB scalar field. POLARBEAR's higher resolution could detect a similar tilt in the tensor field, a double confirmation of inflation."

Among the many [implications](#) of the large B-mode signal, says Seljak: "It may force us in the direction of string theory. It also fits in with models of continuing [inflation](#) that produce multiple universes."

More information: "Signature of Gravity Waves in Polarization of the Microwave Background." Uros Seljak, Matias Zaldarriaga. [DOI: 10.1086/304123](#), arXiv:astro-ph/9608131 Submitted on 20 Aug 1996 (v1), last revised 2 Mar 1997.

"A Probe of Primordial Gravity Waves and Vorticity." Marc Kamionkowski, Arthur Kosowsky, Albert Stebbins
*Phys.Rev.Lett.*78:2058-2061,1997 [DOI: 10.1103/PhysRevLett.78.2058](#)

"Measuring Polarization In Cosmic Microwave Background," Uros Seljak. arXiv:astro-ph/9608131, [DOI: 10.1086/304123](#)

Provided by Lawrence Berkeley National Laboratory

Citation: Setting a trap for gravity waves (2014, March 19) retrieved 19 September 2024 from <https://phys.org/news/2014-03-gravity.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.