


World's First HTPS LCD Panel Using Inorganic Alignment Layer

February 24 2005



Representing the latest technology in precise liquid crystal alignment, Sony Corporation announced today the successful development of the world's first HTPS LCD panel for front projector TV sets, has increased reliability and is capable of outputting higher picture quality through the incorporation of an inorganic alignment layer. Compared to conventional LCD panels, the use of this new material nearly quadruples HTPS panels' resistance to light (illuminating on LCD) which is instrumental for higher brightness and contrast ratio (CR).

Additionally, Sony has introduced the new Field Inversion Driving method, a liquid crystal-driving system that modulates input voltages to all pixels simultaneously within one field. Unlike conventional systems which use a line-by-line writing method, the Field Inversion Driving method overcomes the difficulty in suppressing anomalous movement of

liquid crystal molecules near the fringe of the driving line. All of this translates into improved contrast ratios and aperture ratio higher compared to conventional systems due to the high reduction of light leakage.

By applying these new technologies to the current advanced high resolution TFT technologies, Sony has surpassed conventional systems with a 10% higher transmittance and about 5 times higher contrast ratios, despite the very small pixel pitch of 11.5 micron.

Sony will brand this new HTPS LCD panel technology as Bi:NATM6 (pronounced "Bee-na"), and will launch the components by early next year. Consumers can expect front projectors incorporating Bi:NATM6 technology to be introduced soon thereafter.

Development Background

Sony's new proprietary HTPS liquid crystal alignment technology was achieved with the technology inherited from the development of Sony's other cutting-edge LCD, SXRD (Silicon X-tal Reflective Display), which is an LCOS (Liquid Crystal on Silicon) panel that is currently available in the QUALIA 004 front projection TV.

This technology was also instrumental in improving picture-quality because the rubbing process, an origin of downing quality associated with conventional organic Liquid Crystal alignment layers, is no longer necessary with Bi:NATM6 panels.

Citation: World's First HTPS LCD Panel Using Inorganic Alignment Layer (2005, February 24) retrieved 13 May 2024 from <https://phys.org/news/2005-02-world-htps-lcd-panel-inorganic.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private

study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.